


#17 SLAT SECTION



GUIDE DETAIL


OPTIONS

OPENING WIDTH


OPENING HEIGHT

LOCK OPTIONS

- ☐ CREMONE CYLINDER
☐ SLIDE BOLTS
☐ LOCK MORTISE
☐ LOCK T HANDLE
☐ THUMB OPTION




ELEVATION



COILSIDE

SECTION A-A

MODEL	STANDARD MAX. VALUES	
	WIDTH	HEIGHT
500	20'	7'



PROJECTION	
MIN.	MAX.
9.5" X 9.5"	11.5" X 11.5"

COMPONENT

MATERIAL

OPERATION

NOTES:

HOOD

24 GA. GALVANIZED STEEL

CURTAIN

22 GA. GALVANIZED STEEL

GUIDES

STEEL

FINISH

PRIMED POLYESTER TOP COAT


MANUAL
PUSH UP

- WARRANTY: 24-MONTH LIMITED


COUNTER DOORS

500 ROLLING COUNTER DOORS - BETWEEN JAMBS

DWG. NO.	DATE:	Wayne Dalton
SHEET	BY:	



#17 SLAT SECTION



GUIDE DETAIL


OPTIONS

OPENING WIDTH


OPENING HEIGHT

LOCK OPTIONS

- ☐ CREMONE CYLINDER
☐ SLIDE BOLTS
☐ LOCK MORTISE
☐ LOCK T HANDLE
☐ THUMB OPTION




ELEVATION



COILSIDE

SECTION A-A

MODEL	STANDARD MAX. VALUES	
	WIDTH	HEIGHT
500	20'	7'



PROJECTION	
MIN.	MAX.
9.5" X 9.5"	11.5" X 11.5"

COMPONENT

MATERIAL

OPERATION

NOTES:

HOOD

24 GA. GALVANIZED STEEL

CURTAIN

22 GA. GALVANIZED STEEL

GUIDES

STEEL

FINISH

PRIMED POLYESTER TOP COAT


CRANK LH

- WARRANTY: 24-MONTH LIMITED


COUNTER DOORS

500 ROLLING COUNTER DOORS - BETWEEN JAMBS

DWG. NO.	DATE:	Wayne Dalton
SHEET	BY:	



#17 SLAT SECTION



GUIDE DETAIL


OPTIONS

OPENING WIDTH


OPENING HEIGHT

LOCK OPTIONS

- ☐ CREMONE CYLINDER
☐ SLIDE BOLTS
☐ LOCK MORTISE
☐ LOCK T HANDLE
☐ THUMB OPTION




ELEVATION



COILSIDE

SECTION A-A

MODEL	STANDARD MAX. VALUES	
	WIDTH	HEIGHT
500	20'	7'



PROJECTION	
MIN.	MAX.
9.5" X 9.5"	11.5" X 11.5"

COMPONENT

MATERIAL

OPERATION

NOTES:

HOOD

24 GA. GALVANIZED STEEL

CURTAIN

22 GA. GALVANIZED STEEL

GUIDES

STEEL

FINISH

PRIMED POLYESTER TOP COAT


CRANK RH

- WARRANTY: 24-MONTH LIMITED


COUNTER DOORS

500 ROLLING COUNTER DOORS- BETWEEN JAMBS

DWG. NO.	DATE:	Wayne Dalton
SHEET	BY:	



#17 SLAT SECTION



GUIDE DETAIL


OPTIONS

OPENING WIDTH


OPENING HEIGHT

LOCK OPTIONS

- ☐ CREMONE CYLINDER
☐ SLIDE BOLTS
☐ LOCK MORTISE
☐ LOCK T HANDLE
☐ THUMB OPTION




ELEVATION



COILSIDE

SECTION A-A

MODEL	STANDARD MAX. VALUES	
	WIDTH	HEIGHT
500	20'	7'



PROJECTION	
MIN.	MAX.
9.5" X 9.5"	11.5" X 11.5"

COUNTER DOORS

500 ROLLING COUNTER DOORS - BETWEEN JAMBS

DWG. NO.	DATE:	Wayne Dalton
SHEET	BY:	

COMPONENT

MATERIAL

OPERATION

NOTES:

HOOD

24 GA. GALVANIZED STEEL

CURTAIN

22 GA. GALVANIZED STEEL

GUIDES


STEEL

FINISH


PRIMED POLYESTER TOP COAT

RMX OPERATOR
LH

- WARRANTY: 24-MONTH LIMITED



#17 SLAT SECTION



GUIDE DETAIL


OPTIONS

OPENING WIDTH


OPENING HEIGHT

LOCK OPTIONS


- ☐ CREMONE CYLINDER
☐ SLIDE BOLTS
☐ LOCK MORTISE
☐ LOCK T HANDLE
☐ THUMB OPTION



ELEVATION



SECTION B-B



COILSIDE

SECTION A-A

PROJECTION	
MIN.	MAX.
9.5" X 9.5"	11.5" X 11.5"

MODEL	STANDARD MAX. VALUES	
	WIDTH	HEIGHT
500	20'	7'

COMPONENT

MATERIAL

OPERATION

NOTES:

HOOD

24 GA. GALVANIZED STEEL

CURTAIN

22 GA. GALVANIZED STEEL

GUIDES

STEEL

FINISH

PRIMED POLYESTER TOP COAT

RMX OPERATOR
RH

- WARRANTY: 24-MONTH LIMITED

COUNTER DOORS

500 ROLLING COUNTER DOORS - BETWEEN JAMBS

DWG. NO.	DATE:	Wayne Dalton
SHEET	BY:	