



MODEL	STANDARD MAX. VALUES	
	WIDTH	HEIGHT
500	20'	7'




#17 SLAT SECTION




GUIDE DETAIL

OPTIONS

OPENING WIDTH	
OPENING HEIGHT	
LOCK OPTIONS	☐ CREMONE CYLINDER ☐ SLIDE BOLTS ☐ LOCK MORTISE ☐ LOCK T HANDLE ☐ THUMB OPTION




ELEVATION



SETBACK ON STEEL GUIDES MOUNTED TO STEEL JAMBS WILL BE 1/4" ALL OTHER MOUNTING SURFACES WILL BE 15/16" AS SHOWN

COILSIDE

SECTION A-A



PROJECTION	
MIN.	MAX.
9.5" X 9.5"	11.5" X 11.5"


COMPONENT	MATERIAL	OPERATION	NOTES:
HOOD	24 GA. GALVANIZED STEEL	MANUAL PUSH UP	- WARRANTY: 24-MONTH LIMITED
CURTAIN	22 GA. GALVANIZED STEEL		
GUIDES	STEEL		
FINISH	PRIMED POLYESTER TOP COAT		

COUNTER DOORS


500 ROLLING COUNTER DOORS - FACE MOUNT

DWG. NO.	DATE:	
SHEET	BY:	

MODEL	STANDARD MAX. VALUES	
	WIDTH	HEIGHT
500	20'	7'




#17 SLAT SECTION



GUIDE DETAIL

OPTIONS	
OPENING WIDTH	
OPENING HEIGHT	
LOCK OPTIONS	☐ CREMONE CYLINDER ☐ SLIDE BOLTS ☐ LOCK MORTISE ☐ LOCK T HANDLE ☐ THUMB OPTION




ELEVATION



SETBACK ON STEEL GUIDES MOUNTED TO STEEL JAMBS WILL BE 1/4" ALL OTHER MOUNTING SURFACES WILL BE 15/16" AS SHOWN

COILSIDE

SECTION A-A




PROJECTION	
MIN.	MAX.
9.5" X 9.5"	11.5" X 11.5"

COMPONENT	MATERIAL	OPERATION	NOTES:
HOOD	24 GA. GALVANIZED STEEL	CRANK LH	- WARRANTY: 24-MONTH LIMITED
CURTAIN	22 GA. GALVANIZED STEEL		
GUIDES	STEEL		
FINISH	PRIMED POLYESTER TOP COAT		


COUNTER DOORS

500 ROLLING COUNTER DOORS - FACE MOUNT

DWG. NO.	DATE:	
SHEET	BY:	



#17 SLAT SECTION



GUIDE DETAIL

OPTIONS


OPENING WIDTH

OPENING HEIGHT

LOCK OPTIONS

- ☐ CREMONE CYLINDER
- ☐ SLIDE BOLTS
- ☐ LOCK MORTISE
- ☐ LOCK T HANDLE
- ☐ THUMB OPTION

MODEL	STANDARD MAX. VALUES	
	WIDTH	HEIGHT
500	20'	7'




ELEVATION



SETBACK ON STEEL GUIDES MOUNTED TO STEEL JAMBS WILL BE 1/4" ALL OTHER MOUNTING SURFACES WILL BE 15/16" AS SHOWN

COILSIDE

SECTION A-A



PROJECTION	
MIN.	MAX.
9.5" X 9.5"	11.5" X 11.5"

COUNTER DOORS

500 ROLLING COUNTER DOORS- FACE MOUNT

DWG. NO.	DATE:	Wayne Dalton
SHEET	BY:	

COMPONENT

MATERIAL

OPERATION

NOTES:

HOOD

24 GA. GALVANIZED STEEL

CURTAIN

22 GA. GALVANIZED STEEL

GUIDES


STEEL

FINISH


PRIMED POLYESTER TOP COAT

CRANK RH

- WARRANTY: 24-MONTH LIMITED



#17 SLAT SECTION



GUIDE DETAIL


OPTIONS

OPENING WIDTH

OPENING HEIGHT

LOCK OPTIONS

- ☐ CREMONE CYLINDER
☐ SLIDE BOLTS
☐ LOCK MORTISE
☐ LOCK T HANDLE
☐ THUMB OPTION



ELEVATION




SETBACK ON STEEL GUIDES MOUNTED TO STEEL JAMBS WILL BE 1/4" ALL OTHER MOUNTING SURFACES WILL BE 15/16" AS SHOWN

COILSIDE

SECTION A-A

MODEL	STANDARD MAX. VALUES	
	WIDTH	HEIGHT
500	20'	7'



SECTION B-B

PROJECTION	
MIN.	MAX.
9.5" X 9.5"	11.5" X 11.5"

COUNTER DOORS

500 ROLLING COUNTER DOORS - FACE MOUNT

DWG. NO.	DATE:	Wayne Dalton
SHEET	BY:	

COMPONENT

MATERIAL

OPERATION

NOTES:

HOOD

24 GA. GALVANIZED STEEL

CURTAIN

22 GA. GALVANIZED STEEL

GUIDES

STEEL


FINISH

PRIMED POLYESTER TOP COAT


RMX OPERATOR
LH

- WARRANTY: 24-MONTH LIMITED

MODEL	STANDARD MAX. VALUES	
	WIDTH	HEIGHT
500	20'	7'



#17 SLAT SECTION



GUIDE DETAIL


OPTIONS

OPENING WIDTH

OPENING HEIGHT

LOCK OPTIONS

- ☐ CREMONE CYLINDER
- ☐ SLIDE BOLTS
- ☐ LOCK MORTISE
- ☐ LOCK T HANDLE
- ☐ THUMB OPTION




ELEVATION



SETBACK ON STEEL GUIDES MOUNTED TO STEEL JAMBS WILL BE 1/4" ALL OTHER MOUNTING SURFACES WILL BE 15/16" AS SHOWN

COILSIDE

SECTION A-A



SECTION B-B

PROJECTION	
MIN.	MAX.
9.5" X 9.5"	11.5" X 11.5"

COUNTER DOORS

500 ROLLING COUNTER DOORS - FACE MOUNT

DWG. NO.	DATE:	Wayne Dalton
SHEET	BY:	

COMPONENT

MATERIAL

OPERATION

NOTES:

HOOD

24 GA. GALVANIZED STEEL

CURTAIN

22 GA. GALVANIZED STEEL

GUIDES

STEEL

FINISH

PRIMED POLYESTER TOP COAT

RMX OPERATOR
RH

- WARRANTY: 24-MONTH LIMITED