



STANDARD SLAT DETAIL




PERFORATED SLAT DETAIL



FENESTRATED SLAT DETAIL


MODEL	STANDARD MAX. VALUES	
	WIDTH	HEIGHT
523	20'	14'



ELEVATION



SECTION A-A



SECTION B-B

PROJECTION	
MIN.	MAX.
7" X 7"	14" X 14"


SECURITY SHUTTERS

523 ROLLING SECURITY SHUTTERS - BETWEEN JAMBS


DWG. NO.	DATE:	Wayne Dalton
SHEET	BY:	

COMPONENT	MATERIAL	OPERATION	NOTES:
HOOD	ALUMINUM	MANUAL PUSH UP	- WARRANTY: LIMITED 2 YEAR WARRANTY FOR ALL PARTS
CURTAIN	ALUMINUM SLATS		
GUIDES	EXTRUDED ALUMINUM		
BOTTOM BAR	ALUMINUM		


OPTIONS	
OPENING WIDTH	
OPENING HEIGHT	
SLAT OPTIONS	☐ STANDARD ☐ FENESTRATED ☐ PERFORATED
EXTRA OPTIONS	☐ HOOD SUPPORT ☐ INTERLOCK SWITCH



STANDARD SLAT DETAIL




PERFORATED SLAT DETAIL




FENESTRATED SLAT DETAIL

OPTIONS

OPENING WIDTH	
OPENING HEIGHT	
SLAT OPTIONS	☐ STANDARD ☐ FENESTRATED ☐ PERFORATED
EXTRA OPTIONS	☐ HOOD SUPPORT ☐ INTERLOCK SWITCH




ELEVATION



SECTION A-A

MODEL	STANDARD MAX. VALUES	
	WIDTH	HEIGHT
523	20'	14'



SECTION B-B


PROJECTION	
MIN.	MAX.
7" X 7"	14" X 14"

SECURITY SHUTTERS


COMPONENT	MATERIAL	OPERATION	NOTES:
HOOD	ALUMINUM	CRANK LH	- WARRANTY: LIMITED 2 YEAR WARRANTY FOR ALL PARTS
CURTAIN	ALUMINUM SLATS		
GUIDES	EXTRUDED ALUMINUM		
BOTTOM BAR	ALUMINUM		

523 ROLLING SECURITY SHUTTERS - BETWEEN JAMBS


DWG. NO.	DATE:	
SHEET	BY:	



STANDARD SLAT DETAIL




PERFORATED SLAT DETAIL



FENESTRATED SLAT DETAIL


MODEL	STANDARD MAX. VALUES	
	WIDTH	HEIGHT
523	20'	14'



ELEVATION



SECTION A-A



SECTION B-B

PROJECTION	
MIN.	MAX.
7" X 7"	14" X 14"


SECURITY SHUTTERS

523 ROLLING SECURITY SHUTTERS - BETWEEN JAMBS


DWG. NO.	DATE:	Wayne Dalton
SHEET	BY:	

OPTIONS	
OPENING WIDTH	
OPENING HEIGHT	
SLAT OPTIONS	☐ STANDARD ☐ FENESTRATED ☐ PERFORATED
EXTRA OPTIONS	☐ HOOD SUPPORT ☐ INTERLOCK SWITCH


COMPONENT	MATERIAL	OPERATION	NOTES:
HOOD	ALUMINUM	CRANK RH	- WARRANTY: LIMITED 2 YEAR WARRANTY FOR ALL PARTS
CURTAIN	ALUMINUM SLATS		
GUIDES	EXTRUDED ALUMINUM		
BOTTOM BAR	ALUMINUM		



STANDARD SLAT DETAIL



PERFORATED SLAT DETAIL



FENESTRATED SLAT DETAIL

OPTIONS

OPENING WIDTH

OPENING HEIGHT

SLAT OPTIONS

- ☐ STANDARD
☐ FENESTRATED
☐ PERFORATED

EXTRA OPTIONS

- ☐ HOOD SUPPORT
☐ INTERLOCK SWITCH

INTEGRATED OPERATOR
14 RPM, 110 VOLT, 60
HERTZ (OPT: 240 VOLT,
50 HERTZ) WITH
OPEN/CLOSE ACTUATOR


SWITCH

ELEVATION



SECTION A-A

MODEL	STANDARD MAX. VALUES	
	WIDTH	HEIGHT
523	20'	14'



SECTION B-B

PROJECTION	
MIN.	MAX.
7" X 7"	14" X 14"

SECURITY SHUTTERS

523 ROLLING SECURITY SHUTTERS - BETWEEN JAMBS

DWG. NO.	DATE:	Wayne Dalton
SHEET	BY:	

COMPONENT

MATERIAL

OPERATION

NOTES:

HOOD

ALUMINUM

CURTAIN

ALUMINUM SLATS

GUIDES


EXTRUDED ALUMINUM

BOTTOM BAR


ALUMINUM

MOTOR LH


- WARRANTY: LIMITED 2 YEAR WARRANTY FOR ALL PARTS



STANDARD SLAT DETAIL




PERFORATED SLAT DETAIL




FENESTRATED SLAT DETAIL

MODEL	STANDARD MAX. VALUES	
	WIDTH	HEIGHT
523	20'	14'



ELEVATION



SECTION B-B



SECTION A-A

PROJECTION	
MIN.	MAX.
7" X 7"	14" X 14"

SECURITY SHUTTERS

523 ROLLING SECURITY SHUTTERS - BETWEEN JAMBS

DWG. NO.	DATE:	Wayne Dalton
SHEET	BY:	

OPTIONS	
OPENING WIDTH	
OPENING HEIGHT	
SLAT OPTIONS	☐ STANDARD ☐ FENESTRATED ☐ PERFORATED
EXTRA OPTIONS	☐ HOOD SUPPORT ☐ INTERLOCK SWITCH

COMPONENT	MATERIAL	OPERATION	NOTES:
HOOD	ALUMINUM	MOTOR RH	- WARRANTY: LIMITED 2 YEAR WARRANTY FOR ALL PARTS
CURTAIN	ALUMINUM SLATS		
GUIDES	EXTRUDED ALUMINUM		
BOTTOM BAR	ALUMINUM		