



STANDARD SLAT DETAIL




PERFORATED SLAT DETAIL



FENESTRATED SLAT DETAIL


MODEL	STANDARD MAX. VALUES	
	WIDTH	HEIGHT
523	20'	14'



ELEVATION



SECTION A-A



SECTION B-B

PROJECTION	
MIN.	MAX.
7" X 7"	14" X 14"


SECURITY SHUTTERS

523 ROLLING SECURITY SHUTTERS - FACE MOUNT


DWG. NO.	DATE:	Wayne Dalton
SHEET	BY:	

COMPONENT	MATERIAL	OPERATION	NOTES:
HOOD	ALUMINUM	MANUAL PUSH UP	- WARRANTY: LIMITED 2 YEAR WARRANTY FOR ALL PARTS
CURTAIN	ALUMINUM SLATS		
GUIDES	EXTRUDED ALUMINUM		
BOTTOM BAR	ALUMINUM		


OPTIONS	
OPENING WIDTH	
OPENING HEIGHT	
SLAT OPTIONS	☐ STANDARD ☐ FENESTRATED ☐ PERFORATED
EXTRA OPTIONS	☐ HOOD SUPPORT ☐ INTERLOCK SWITCH



STANDARD SLAT DETAIL




PERFORATED SLAT DETAIL




FENESTRATED SLAT DETAIL

MODEL	STANDARD MAX. VALUES	
	WIDTH	HEIGHT
523	20'	14'



ELEVATION



SECTION B-B



SECTION A-A

PROJECTION	
MIN.	MAX.
7" X 7"	14" X 14"


SECURITY SHUTTERS

523 ROLLING SECURITY SHUTTERS - FACE MOUNT


DWG. NO.	DATE:	Wayne Dalton
SHEET	BY:	

OPTIONS	
OPENING WIDTH	
OPENING HEIGHT	
SLAT OPTIONS	☐ STANDARD ☐ FENESTRATED ☐ PERFORATED
EXTRA OPTIONS	☐ HOOD SUPPORT ☐ INTERLOCK SWITCH


COMPONENT	MATERIAL	OPERATION	NOTES:
HOOD	ALUMINUM	CRANK LH	- WARRANTY: LIMITED 2 YEAR WARRANTY FOR ALL PARTS
CURTAIN	ALUMINUM SLATS		
GUIDES	EXTRUDED ALUMINUM		
BOTTOM BAR	ALUMINUM		



STANDARD SLAT DETAIL




PERFORATED SLAT DETAIL




FENESTRATED SLAT DETAIL

MODEL	STANDARD MAX. VALUES	
	WIDTH	HEIGHT
523	20'	14'



ELEVATION



SECTION B-B

PROJECTION	
MIN.	MAX.
7" X 7"	14" X 14"



SECTION A-A

SECURITY SHUTTERS


523 ROLLING SECURITY SHUTTERS - FACE MOUNT

DWG. NO.	DATE:	Wayne Dalton
SHEET	BY:	


COMPONENT	MATERIAL	OPERATION	NOTES:
HOOD	ALUMINUM	CRANK RH	- WARRANTY: LIMITED 2 YEAR WARRANTY FOR ALL PARTS
CURTAIN	ALUMINUM SLATS		
GUIDES	EXTRUDED ALUMINUM		
BOTTOM BAR	ALUMINUM		

OPTIONS


OPENING WIDTH	
OPENING HEIGHT	
SLAT OPTIONS	☐ STANDARD ☐ FENESTRATED ☐ PERFORATED
EXTRA OPTIONS	☐ HOOD SUPPORT ☐ INTERLOCK SWITCH



STANDARD SLAT DETAIL





PERFORATED SLAT DETAIL




FENESTRATED SLAT DETAIL

MODEL	STANDARD MAX. VALUES	
	WIDTH	HEIGHT
523	20'	14'

INTEGRATED OPERATOR
14 RPM, 110 VOLT, 60
HERTZ (OPT: 240 VOLT,
50 HERTZ) WITH
OPEN/CLOSE ACTUATOR



ELEVATION



SECTION B-B

PROJECTION	
MIN.	MAX.
7" X 7"	14" X 14"



SECTION A-A

SECURITY SHUTTERS


523 ROLLING SECURITY SHUTTERS - FACE MOUNT

DWG. NO.	DATE:	Wayne Dalton
SHEET	BY:	


COMPONENT	MATERIAL	OPERATION	NOTES:
HOOD	ALUMINUM	MOTOR LH	- WARRANTY: LIMITED 2 YEAR WARRANTY FOR ALL PARTS
CURTAIN	ALUMINUM SLATS		
GUIDES	EXTRUDED ALUMINUM		
BOTTOM BAR	ALUMINUM		

OPTIONS


OPENING WIDTH	
OPENING HEIGHT	
SLAT OPTIONS	☐ STANDARD ☐ FENESTRATED ☐ PERFORATED
EXTRA OPTIONS	☐ HOOD SUPPORT ☐ INTERLOCK SWITCH



STANDARD SLAT DETAIL




PERFORATED SLAT DETAIL




FENESTRATED SLAT DETAIL

MODEL	STANDARD MAX. VALUES	
	WIDTH	HEIGHT
523	20'	14'



ELEVATION



SECTION B-B

PROJECTION	
MIN.	MAX.
7" X 7"	14" X 14"



SECTION A-A

SECURITY SHUTTERS

523 ROLLING SECURITY SHUTTERS - FACE MOUNT

DWG. NO.	DATE:	Wayne Dalton
SHEET	BY:	

COMPONENT	MATERIAL	OPERATION	NOTES:
HOOD	ALUMINUM	MOTOR RH	- WARRANTY: LIMITED 2 YEAR WARRANTY FOR ALL PARTS
CURTAIN	ALUMINUM SLATS		
GUIDES	EXTRUDED ALUMINUM		
BOTTOM BAR	ALUMINUM		

OPTIONS

OPENING WIDTH	
OPENING HEIGHT	
SLAT OPTIONS	☐ STANDARD ☐ FENESTRATED ☐ PERFORATED
EXTRA OPTIONS	☐ HOOD SUPPORT ☐ INTERLOCK SWITCH