


Wayne
 **Dalton**™



DALTONDOCK™ LOADING DOCK SOLUTIONS

Bridge the Gap Between Easy
Installation & Durable Performance



NO DOWNTIME. NO COMPROMISES. NO WORRIES.

AT WAYNE DALTON, WE WELD TOGETHER SAFETY, DURABILITY, AND EFFICIENCY IN EVERY LOADING DOCK SOLUTION.

We have a trusted history of designing products that install faster and work seamlessly for both installers and end users. Our equipment is built to last, designed for smooth installation, and engineered to meet rigorous ANSI MH30.1-2022 standards, ensuring protection where it matters most. **From speedy installations and streamlined operations to longer-term reliability, DaltonDock™ loading dock solutions help your facility work smarter, safer, and more productively.**

WHY WAYNE DALTON?

Since 1954, we've built one of the widest selections of residential garage doors and commercial doors in the industry. As a Total Solutions Partner, Wayne Dalton engineers smarter ways to control every opening, streamline operations, and strengthen every point of access.

From docks to doors, we've got you covered.



KEEPING YOUR LOADING DOCK SAFE

A safe loading dock isn't just about meeting code, it's about creating a better, safer place to work. Between constant forklift traffic, heavy loads, and shifting surfaces, the dock presents real risks every day. These hazards can take a toll on both people and equipment, especially in demanding environments with aging crews and nonstop schedules. Proactively improving your dock conditions helps you stay ahead of potential issues and protect what matters most.

SMART SAFETY PRACTICES INCLUDE



Limiting shock and vibration to ease strain on workers and machinery.



Guarding against injury with safer installation.



Ensuring safe, stable support during equipment service.



Designing for reduced wear and tear on the body over time.



EXTENDED WARRANTY

When dock leveler and door are purchased together.

1-Year Limited Warranty;
2-Year Limited Warranty
when Wayne Dalton
Door and dock leveler
purchased together.

HYDRAULIC DOCK LEVELER

Perfect for high-volume docks that prioritize safety, speed, and low-maintenance operation with push-button control.

Page 6

MECHANICAL DOCK LEVELER

A rugged, reliable performer that delivers consistent, manual operation for busy docks needing flexibility without powered control(s).

Page 8

EDGE OF DOCK LEVELER

A smart, space-saving solution that streamlines loading for facilities with steady trailer energy efficiency for controlled interior environments.

Page 10

SHELTER & SEAL SOLUTIONS

Designed to create a tight seal between the building and trailer, these solutions improve energy efficiency, protect goods from the elements, and support year-round productivity.

Page 12

DALTONDOCK™ TRAILER RESTRAINT

A critical safety system that secures trailers in place during loading and unloading, helping prevent unexpected departure and protecting people, product and equipment.

Page 14

DOCK ACCESSORIES

A full range of add-ons—from bumpers and lights to track guards and trailer stands—that enhance dock safety, visibility, and operational flow.

Page 16

HYDRAULIC DOCK LEVELER

Available Models:
H68WD & H78WD

Available Weight Capacities:
30,000, 35,000, 40,000
and 45,000 lbs. CIR

Built for durability, the DaltonDock™ Hydraulic Dock Leveler stands up to the demands of industrial environments. Its hydraulic system delivers consistent, low-effort operation, reducing physical strain and minimizing the risk of injuries. Fast and straightforward installation minimizes downtime and gets your dock up and running sooner. By forming a stable link between the dock and trailer, it streamlines the loading and unloading process for a faster, safer transition from warehouse to truck.


FEATURES & BENEFITS

Durable – No Downtime

Built to perform under pressure, the DaltonDock™ Hydraulic Dock Leveler is packed with features that maximize durability and minimize interruptions.



- 1 C-channel beams reinforce deck and resist corrosion**
- 2 Full-width deck hinge enhances structural integrity**
 - Meets ANSI MH30.1-2022 load testing standards
 - Flat deck eliminates transition angles to reduce repair needs
 - Heavy-duty lug hinge sheds debris and minimizes stress
 - Protected, easy-access powerpack located behind main cylinder
 - Textured powder coat finish resists wear and corrosion





Trusted – No Compromises

Engineered with reliability in mind, every detail is designed to ensure exceptionally easy installation along with safe, smooth operation you can rely on.

- 3 Beveled lip minimizes bumps and protects cargo**
- 4 Fully floating hydraulic system maintains trailer contact**
 - Creates a level path to reduce worker fatigue and jolts
 - Supports efficient forklift and material handling movement
 - Velocity fuse limits free-fall to 3" if trailer unexpectedly departs

Safe – No Worries

Designed with safety at every step, these features simplify setup, ease maintenance, and help protect workers and equipment on the job.

- 5 Open base frame allows full-length dock access for maintenance**
- 6 Tethered maintenance brace is easy to reach**
 - Shimming only required under main cylinder, lip keeper, and maintenance brace for safer setup
 - Targeted shimming reduces setup effort and enhances safety
 - Steel fork loops improve transport stability and stacking safety
 - Adjusters align deck to floor for fast setup
 - Rear curb angle cutouts mark weld points for faster installation
 - Serviceable lip and hinge pins can be replaced without breaking welds
 - Open structure underneath the full length of the leveler eliminates need for rear beams that can trap debris

EXTENDED WARRANTY

When dock leveler and door are purchased together.

1-Year Limited Warranty;
2-Year Limited Warranty
when Wayne Dalton
Door and dock
leveler purchased
together.

MECHANICAL DOCK LEVELER

Available Models:
M68WD & M78WD

Available Weight Capacities:
30,000, 35,000, 40,000 and
45,000 lbs. CIR

The DaltonDock™ Mechanical Dock Leveler offers dependable performance for busy loading docks. Built to handle a range of applications, it provides a secure, efficient connection between the dock and trailer. Fast and straightforward installation minimizes downtime and gets your dock up and running sooner. Its rugged construction and straightforward mechanical operation make it low-maintenance and long-lasting. Perfect for warehouses and distribution hubs, this leveler helps keep operations running smoothly while prioritizing safety and durability.


FEATURES & BENEFITS


Durable – No Downtime

Built to withstand heavy use, these features reinforce the leveler's strength, reduce wear, and keep operations running smoothly with minimal maintenance.



- 1 Meets ANSI MH30.1-2022 load testing standards**
- 2 Heavy-duty lug hinge sheds debris and minimizes stress**
 - C-channel beams reinforce deck and resist corrosion
 - Flat deck eliminates transition angles to reduce repair needs
 - Full-width deck hinge enhances structural integrity
 - Easy access to snubber chain and maintenance brace





Trusted – No Compromises

Proven in demanding environments, these features provide exceptionally easy installation, plus deliver reliable performance and protect workers and equipment.

3 Minimal bumps or gaps on deck/lip reduce trip hazards for workers

4 Textured surface improves traction and durability

- Optimized beveled lip reduces bumps and protects cargo and equipment
- Creates a level path to reduce worker fatigue and jolts
- Supports efficient forklift and material handling movement
- Constant contact with the bed of the trailer due to well-balanced design
- Easy to deploy safety brace
- Release chain and hold downs are easy to operate

Safe – No Worries

From easy installation to daily operation, these safety-focused features are designed to simplify setup, reduce risk, and make maintenance safer and more efficient.

5 Adjusters quickly align the deck with the building floor for a faster setup

6 Four steel loops add transport stability and prevent sliding when stacked

- Open base frame allows full-length dock access for maintenance
- Shimming required only under main cylinder mount, lip keeper, and brace for safe setup
- Targeted shimming reduces setup effort and enhances safety
- Tethered maintenance brace is easy to reach
- Rear curb angle cutouts mark weld points for faster installation
- Serviceable lip and hinge pins can be replaced without breaking welds
- Full-length open underside removes need for debris-trapping rear beams

EXTENDED WARRANTY

When dock leveler and door are purchased together.

1-Year Limited Warranty;
2-Year Limited Warranty
when Wayne Dalton
Door and dock
leveler purchased
together.

EDGE OF DOCK LEVELER

Boost dock performance with the DaltonDock™ Edge of Dock Leveler. It's designed for fast, reliable transitions between dock and trailer. Ideal for tight dock spaces, it installs faster than the competition with a direct-to-dock-face design that enables quick, hassle-free operation. Built from heavy-duty steel and requiring little upkeep, this leveler provides consistent, dependable performance day in and day out.

Available Models:
E66WD & E72WD

Available Weight Capacities:
20,000 and 30,000 lbs. CIR



FEATURES & BENEFITS

Durable – No Downtime

Engineered for long-term performance, these key features enhance durability, reduce stress on components, and minimize maintenance interruptions.



- 1 Meets ANSI MH30.1-2022 load testing standards**
- 2 Heavy-duty lug hinge sheds debris and minimizes stress**
 - Textured powder coat finish resists wear and corrosion

Trusted – No Compromises

Designed for dependable performance, these features ensure exceptionally easy installation, deliver smooth transitions, protect workers and equipment, and support efficient, worry-free operation.

- 3 Creates a level path to reduce worker fatigue and jolts**
- 4 Optimized lip level ensures smooth transition from trailer to leveler**
 - Supports fast/efficient movement of product
 - Minimal bumps or gaps on deck/lip for workers to trip over
 - Returns to stored position in event truck pulls away
 - Quick and easy-to-use handle with built-in storage and tether to prevent loss

Safe – No Worries

Built for easy maintenance and enhanced safety, these features simplify servicing while keeping the leveler secure and reliable.

- 5 Service brace is easy to reach under the leveler and tethered so it never gets lost**
- 6 Field serviceable with easy to reach adjusters for springs and kicker bar**
 - Serviceable lip and hinge pins can be replaced without breaking welds
 - Grease fittings to lubricate deck hinge for smooth operation

EDGE OF DOCK LEVELER OPTIONS

Level up your leveler's performance with smart, purpose-built options designed to improve safety, efficiency, and reliability across every dock environment.

MOUNTING OPTIONS

Choose the lip style that fits your operation: beveled edges deliver a smoother, low-impact transition, while kinked edges add traction and stability for heavy-duty loading.

APPROACH PLATES

Ideal for creating a continuous path between trailers and the building, Approach Plates enhance safety and efficiency, plus protect workers and materials by reducing impact during loading/unloading.

WALL PLATES


Best for installations where vertical mounting is needed for maximum steadiness, Wall Plates ensure superior alignment and long-lasting support.

FORMED ANGLES

Perfect for areas with high traffic and heavy load demands, Formed Angles provide reinforced structural integrity and extend leveler performance.

CHANNEL EMBEDS

Well-suited for new builds or dock retrofits, Channel Embeds provide seamless concrete integration for a durable, stable foundation.



BUMPER OPTIONS

Explore our bumper options on our Edge of Dock Leveler. In addition to the standard molded **rubber** bumpers, we have added **steel faced** and **laminated** bumper options.

LIP CROWN OPTIONS

Edge of dock lip crowns are available in 15" and 17" lips with:

- Regular Crown: Quick, safe, efficient for standard dock-to-trailer alignment.
- Mid Crown: Extra service range for lower docks or restricted door setups.
- High Crown: Maximum flexibility, up to 5" above dock, for challenging trailer height differences.
- Flat Crown: Smooth, level transition for docks and trailers with consistent heights; ideal for minimizing bumps and equipment wear.

STEPLEDGE OVERREACH LIP

Support today's stepped-ledge trailers by keeping the leveler lip from catching, for full, consistent deployment and dependable performance every time.

SHELTER & SEAL SOLUTIONS

ADJUSTABLE CURTAIN DOCK SEAL

Designed for flexibility, this dock seal pairs durable side pads with an adjustable head curtain to fit a range of trailer heights. It helps shield your facility from the elements while supporting better energy efficiency and cost savings.

Flexible Curtain System

- Up to 60" adjustable drop
- Full-width steel tube supports curtain and prevents sagging
- Curtain height adjusts via rope and pulley for better sealing and energy control
- Optional PVC strip curtains for cold weather environments

Premium Construction Quality

- UV-treated, high-strength polyester thread for long-lasting seams
- Premium-grade foam maintains performance in temperatures as low as -40°F
- Fire-resistant foam bonded with a flexible, non-flammable adhesive
- Vented columns support airflow and moisture drainage

Durable Fabric Selection

- Fire-resistant fabrics in multiple weights, including a 40 oz premium version with 6x abrasion resistance
- UV-treated to prevent fading over time

Extra Trailer Protection

- Optional wear pleats for increased abrasion resistance
- Available with reinforced 66 oz wear pleats for extra protection at critical contact points

Optional 4-Sided Sealing

- Bottom seal pad available to create a complete seal around the trailer at docks without levelers



FIXED DOCK SEAL

The DaltonDock™ fixed dock seal features compressible side pads and a top cushion that form a tight seal around the trailer, helping to block out weather and maintain interior conditions. It's an ideal solution for improving energy efficiency and protecting your facility from outside elements.

Robust Construction

- Double-stitched seams with UV-treated polyester thread
- Premium-grade foam for consistent compression and recovery down to -40°F
- Fire-resistant foam bonded with elastic, non-flammable adhesive
- Plated vents aid moisture drainage and airflow

Resilient Fabric Options

- Fire-resistant materials available in various weights, including abrasion-resistant 40 oz fabric
- All fabrics UV-treated to resist fading

Optional Upgrades for Protection

- Wear pleats on columns for extra defense against tears and friction
- 66 oz heavy-duty pleats for added reinforcement
- Optional bottom seal for full 4-sided closure (best for docks without levelers)

FIXED DOCK SHELTER

Engineered to provide full trailer access and dependable weather protection, this shelter features flexible side and top panels that adapt to different trailer dimensions. It creates a secure seal that helps maintain interior temperatures and boosts energy efficiency, all while ensuring unobstructed access to the trailer's rear.

Strong, Weather-Resistant Construction

- Galvanized steel panels with aluminum trim for a clean, durable finish
- Peaked top panel ensures proper drainage
- Double-stitched seams with UV-treated polyester thread
- Foam bead reinforcement on leading edges
- Fiberglass stays in multilayer pockets provide strength and shape to vertical panels

Superior Fabric Performance

- Fire-resistant fabric in multiple weight options
- Premium 40 oz fabric offers 6x the abrasion resistance of standard material
- Premium Plus fabric, like conveyor belts, for high-impact use: resists UV, fire, abrasion, tears, rot, stains, salt and oil
- UV-treated to minimize fading

Enhanced Impact Protection

- Overlapping wear pleats on upper corners guard against trailer damage and fabric wear

FOAM DOCK SHELTER

This flexible, yet strong, dock shelter features L-shaped foam side frames that flex to form a tight seal against trailers, helping block out weather and debris. Its adjustable top curtain and adaptable design accommodate various trailer sizes while maintaining full access to the trailer's entire height and width.

Adjustable Curtain Design

- Up to 52" curtain drop for taller trailers
- Full-width steel tube prevents curtain sagging
- Rope pulley adjusts curtain height for efficiency
- Optional overlapping PVC for cold rooms

Durable, High-Quality Build

- Double-stitched, UV-treated polyester thread for long-lasting seams
- Premium foam maintains compression and recovery down to -40°F
- Fire-resistant foam bonded with elastic, non-flammable adhesive for extended life
- Vented openings promote airflow and moisture drainage within columns

Heavy-Duty Fabric Options

- Fire-resistant materials in various weights, including a 40 oz fabric with 6x more abrasion resistance
- UV protection on all fabrics to resist fading

Added Impact Protection

- Optional wear pleats for side columns increase resistance to tearing and abrasion
- Available with 66 oz wear pleats for added reinforcement at top and bottom corner

DALTONDOCK™ TRAILER RESTRAINT

Built for high-impact environments, this heavy-duty vehicle restraint enhances dock safety by securing trailers during loading and unloading. Its bright, rotating hook locks firmly onto the impact guard with 32,000 lbs. (14,514 kgs) of holding force, helping safeguard personnel, cargo, and equipment. Sit delivers reliable performance with minimal maintenance required.

Meets ANSI MH30.3-2022
load testing standards.



SPECIFICATIONS

Durable – No Downtime

Built for lasting performance and efficiency, these features ensure reliable operation in all conditions while reducing energy use and environmental impact.

- Zinc plating provides all-weather durability
- IP-44 rated DC gear motor protected from water spray in any direction
- Low power consumption saves on energy costs
- Available in all Voltages: 220 Volt (1 phase), 230 Volt, 460 & 575 Volt (3 phase)
- Eco-friendly, sustainable alternative to hydraulic systems

Trusted – No Compromises

Engineered for exceptionally easy installation and reliable, user-friendly performance, these features extend equipment life and simplify operation.

- Pulse width modulation motor control increases life of motor and mechanical parts suffer less impact damage due to integrated shock absorption
- Easy push button operation
- Unit mounts to dock wall above ground level for easy installation.
- Low-profile 9" carriage works with all standard trailers and an impact extension bar with a service range of 9" to 25"

Safe – No Worries

Designed to enhance safety and communication, these features provide reliable, real-time status updates and secure restraint performance in all conditions.

- All-weather hook sensor eliminates limit switches and adjustments
- Inside and outside red and green LED communication lights provide safe, clear status of restraint position to truck drivers and loading dock personnel
- Restraint hook maintains contact with RIG bar and automatically adjusting with trailer motion



CONTROLLER OPTIONS

- 115V 1-phase for restraint with Standard Panel Control (additional voltage options available upon request)
- Interlock options for both stored dock leveler lip and door position communicate to system when it is safe to operate leveler or door
- The Combo Control Panel provides advanced functionality with the addition of a single push button dock leveler operation control
- The Combo Plus Control Panel includes the single button dock leveler operation control and open/close/stop button control for door operation



Light Assembly



Standard Control Box




Combo Control Box



Combo Plus Control Box

DOCK ACCESSORIES

Keep your dock safe, efficient, and fully equipped with high-performance accessories built for tough dock environments. From lighting and fans to bumpers, guards, and wheel chocks, we offer the tools you need to streamline loading and protect your team and equipment.



Dock Lights & Fans

Improve visibility and safety with energy-efficient dock lights that illuminate trailer interiors. Choose single or dual-arm models with a 40" reach for flexible positioning or convenient stowaway. Impact-resistant polycarbonate housings stand up to daily use. An optional fan attachment adds airflow for increased comfort in hot conditions.

Trailer Stands

Enhance safety and efficiency in high-traffic loading docks operations with both standard and premium self-leveling, easy-to-deploy trailer stands. They feature gas-shock systems, large all-terrain wheels, and secure locking pins.



Track Guards

Protect door tracks from forklift and pallet jack strikes with high-visibility yellow guards. Standing 48" tall, they're available in 3/16" or 1/4" steel with options for wall-and-floor or floor-only mounting. A tapered top design reduces the risk of hand pinching during use.





Bumpers - Pit Leveler and Edge of Dock

Shield your dock from impact damage with laminated bumpers made from recycled truck tires, reinforced with a 3/4" steel bar and anchored using 3/8" heavy-duty steel angles. Available in various sizes and vertical configurations. Optional steel-faced bumpers (3/8" thick) offer enhanced protection from wear and impact.

Wheel Chocks

Ensure trailer stability with two chocks per dock. Select from durable solid rubber (7" x 9" x 7") for maximum grip, or aluminum (7" x 11" x 8") with a claw base for mixed surfaces. Zinc-plated chains resist corrosion and help prevent chock loss or misplacement.

CHARTS & REFERENCE GUIDES

	HYDRAULIC DOCK LEVELER	MECHANICAL DOCK LEVELER	EDGE OF DOCK LEVELER
IDEAL FEATURES	Easy Push Button with smooth operation	Durable, economical full service range unit	Captive fleet, Low cost reliability
DIMENSION	Model H68WD: 6' W x 8' L Model H78WD: 7' W x 8' L	Model M68WD: 6' W x 8' L Model M78WD: 7' W x 8' L	Model E66WD: 66" Model E72WD: 72"
WEIGHT CAPACITY	30,000, 35,000, 40,000, and 45,000 lbs. CIR	30,000, 35,000, 40,000, and 45,000 lbs. CIR	20,000, 30,000 lbs. CIR
BUMPERS			
Laminated Bumpers 410-14 W1	√ Standard	√ Standard	Optional (412-12)
Laminated Upgraded Bumpers 410-14 W2, 412-14 W1/W2, 610-14 W1/W2, V420-11 W1/W2, V620-11 W1/W2, V624-11 W1/W2	Optional	Optional	-
Steel Face Bumpers 410-14 SF W1/W2, 610-14 SF W1/W2	Optional	Optional	Optional (SF 412-12)
Molded bumpers	-	-	√ Standard
Bumper boxes	-	-	√ Standard
CONTROL			
Base Control Panel (Single button)	√ Standard	-	-
Working, Range 12" Above/Below Dock	√ Standard	√ Standard	-
Hold Down Auto Release	-	√ Standard	-
FINISH			
Textured Gray Powder Coat	√ Standard	√ Standard	√ Standard
LIP			
15" Lip	-	-	√ Standard
16" Lip	√ Standard	√ Standard	-
17" Lip	-	-	Optional
18" & 20" Lip	Optional	Optional	-
Lip Keepers	√ Standard	√ Standard	-
Lip Bevel	√ Standard	√ Standard	√ Standard
Lip Taper	√ Standard (Model H78WD only)	√ Standard (Model M78WD only)	-

	HYDRAULIC DOCK LEVELER	MECHANICAL DOCK LEVELER	EDGE OF DOCK LEVELER
OPERATION			
End Loading and Below Dock Capable	√ Standard	√ Standard	-
Hydraulic Pump: 3 Phase 208V, 240V, 480V	Optional	-	-
Hydraulic Pump: Single Phase 120V, 208V, 240V	Optional	-	-
Working, Range 12" Above/Below Dock	√ Standard	√ Standard	-
Working range 3" above/below dock	-	-	√ Standard
Auto return to store	-	-	√ Standard
Self storing handle	-	-	√ Standard
24" Pit Kit	Optional	Optional	-
SAFETY			
Tethered Maintenance Brace	√ Standard	√ Standard	√ Standard
Safety Tread on Deck and Lip	√ Standard	√ Standard	√ Standard
Velocity Safety Fuse	√ Standard	-	-
Toe Guards: Working Range	√ Standard	√ Standard	-
Toe Guards: Full Operating Range	√ Standard	Optional	-
Safety Legs	-	√ Standard	-
TRANSPORT			
Reinforced Lifting Bolt Holes in Deck (4)	√ Standard	√ Standard	-
Steel Lifting Loops (Bolt to Deck) (4)	√ Standard	√ Standard	-
WEATHER SEALS			
Weather Seal: Brush	Optional	Optional	-
Weather Seal: Neoprene	Optional	Optional	-
Chain Hole Seal	-	Optional	-
WARRANTY			
1-Year Limited Warranty	√ Standard	√ Standard	√ Standard
2-Year Limited Warranty *when Wayne Dalton brand door and Dock Leveler purchased together	Optional	Optional	Optional



Dock
Equipment



Architect
Resources



Dealer
Locator

MORE THAN DOORS

- SOLUTIONS THAT DELIVER
- PRODUCTS THAT PERFORM
- PARTNERSHIPS THAT LAST

As a trusted leader in both commercial and residential markets—and the #1 Builder Brand—Wayne Dalton provides comprehensive dock and door solutions designed to streamline operations, improve installation efficiency, and support long-term success for our dealer partners.

EXTENDED WARRANTY

When dock leveler and door are purchased together.

1-Year Limited Warranty;
2-Year Limited Warranty
when Wayne Dalton
Door and dock
leveler purchased
together.

**Wayne
Dalton™**