


M O D E L 8800

West Region Availability



Aluminum rails and stiles

are designed with non-beveled edges and straight lines to create a true contemporary style.



Optional polyurethane < insulation

adds U-factor* **₹** as low as 0.27 and R-value** of up to 4.36



^{*}U-factor is independently tested and verified by ANSI/DASMA 105 using doors with full glazing and specific product sizes.

*Wayne Dalton uses a calculated door section R-value for our insulated doors.

Tongue-and-groove joints provide a great weather barrier.

Flexible vinyl bottom seal helps prevent dirt and elements from entering your garage.

Choose a 25,000 cycle spring for more than twice the life of a standard torsion spring.


Reinforcing fins on all top sections and as needed on intermediate sections, provide years of smooth, trouble-free operation. (The fins are the extruded part of the door section that are not visible through the glass).


Model 8800 offers a five-year limited warranty on the aluminum and one-year limited warranty on the glass.
See full text of warranty for details.



Select the Platform

Standard Frames






8' Wide (2 panel)*


9'-12' Wide (3 panel)

Over 12' Wide (4 panel)

Double-wide Frames







Due to the weight of this door, it is only

8' Wide (2 panel)* 9'-12' Wide (3 panel)

Over 12' Wide (4 panel)

18' Wide (5 panel)**

Panel spacing drawings shown are for illustrative purposes only and do not reflect actual stile and rail dimensions. If 6" frame is ordered, other doors must be ordered from that grouping to match and may incur an additional upcharge. See dealer for details.

If you are ordering a 16'3" or wider door as well as a single door, check with your dealer to ensure that the door frames match.

Choose your Color

Anodized Finishes





Clear (Standard)

Bronze



Black

Powder Coat Finishes





White

Dark Bronze



Black

RAL Powder Coat Finishes

Select from approximately 200 powder coat color options to best match your home.



Actual colors may vary from brochure due to fluctuations in the printing process. Always request a color sample from your Wayne Dalton dealer for accurate color matching.

^{*2} panel wide is optional for 9' doors.

^{**4-}panel wide is optional for 18' wide doors.

Choose your Glass



1/8" Clear Glass



Green Tint



Gray Tint



Bronze Tint



Satin Etched



White Laminated




Obscure

Custom glass also available. See dealer for details.

Most panel styles are also available in both single pane and insulated configurations.







Discover the perfect garage door for your home with our Garage Door Design Center. Upload a photo of your home, experiment with panel designs, colors, window styles, and decorative hardware, and visualize the transformation. Try it today by scanning the QR code or visiting wayne-dalton.com—your journey to enhanced curb appeal starts with just a click!





Wayne Dalton participates in the DASMA Thermal Performance Verification Program. The program verifies the thermal performance of sectional garage doors. The lower the U-factor rating, the better the thermal performance.



Symbol indicates verified U-factor rating in accordance with the DASMA Thermal Performance Verification Program.

THERMAL PERFORMANCE

Wayne Dalton.

DISTRIBUTED BY:

2501 S. State Hwy. 121 Bus., Ste 200 Lewisville, TX 75067

wayne-dalton.com













© 2024 Wayne Dalton, a Division of Overhead Door Corporation. Consistent with our policy of continuing product improvement, we reserve the right to change product specifications without notice or obligation. Item W900-1249 12/24