



M O D E L

8850

CONTEMPORARY ALUMINUM



Black powder coated aluminum, White Laminated glass

DOOR FEATURES

Tongue-and-groove joints provide a great weather barrier.

Flexible vinyl bottom seal helps prevent dirt and elements from entering your garage.

Designed to be easy to maintain.

Reinforcing fins along with heavy-duty track and brackets help provide years of smooth, trouble-free operation (The fins are the extruded part of the door section that are not visible through the glass).

Constructed with rugged, anodized aluminum frame with equal panel spacing.

Chose a 25,000 high cycle spring for almost twice the life of a standard torsion spring.




COMPLETE 8850	U-FACTOR* 	R-VALUE** 9X7 DOOR	R-VALUE** 16X7 DOOR	R-VALUE** 9X8 DOOR	R-VALUE** 16X8 DOOR
1/2" insulated glass Solar Ban 70XL argon filled (R-value of 3.125)	—	4.06	4.05	3.97	3.96
1/2" insulated glass Low E (R-value of 2.38) with polyurethane filled rails and stiles	0.70	3.42	3.40	3.31	3.30
1/2" insulated glass (R-value of 1.75) with polyurethane filled rails and stiles	0.86	2.87	2.86	2.76	2.74

*U-Factors are based on independent testing and verified per ANSI/DASMA 105. For products other than aluminum full-view doors, testing was conducted on specific sizes of solid doors. Actual thermal performance may vary by door size and configuration.


**Wayne Dalton uses a calculated door section R-value for our insulated doors.

1 Select the Platform


Standard Frames



8' Wide (2 panel)*




9'-12' Wide (3 panel)




Over 12' Wide (4 panel)


Double-wide Frames




8' Wide (2 panel)*



9' Wide (3 panel)



16' Wide (4 panel)




18' Wide (5 panel)**

Panel spacing drawings shown are for illustrative purposes only and do not reflect actual stile and rail dimensions. 8" double wide rails and double end stiles apply only to larger doors and not available as options for smaller single doors.

If you are ordering a 16'3" or wider door as well as a single door, check with your dealer to ensure that the door frames match.

*2 panel wide is optional for 9' doors.

**Due to the weight of the 18' wide (5 panel) door, it is only offered in double-wide frames.



Wayne Dalton participates in the DASMA Thermal Performance Verification Program. The program verifies the thermal performance of sectional doors. The lower the U-factor rating, the better the thermal performance.



Symbol indicates verified U-factor rating in accordance with the DASMA Thermal Performance Verification Program.

2 Choose your Color

Anodized Finishes




Clear (Standard)



Bronze

Painted Finishes




White




Brown

Powder Coat Finishes



Dark Bronze



Black



Black

RAL Powder Coat Finishes

Select from approximately 200 powder coat color options to best match your home.



Actual colors may vary from brochure due to fluctuations in the printing process. Always request a color sample from your Wayne Dalton dealer for accurate color matching.

3 Choose your Glass



Clear Glass



Green Tinted



Gray Tinted



Bronze Tinted



Satin Etched



White Laminated



Obscure


Most panel styles are also available in both single pane and insulated configurations.



Custom powder coat, Clear glass

AFTER

BEFORE



Black powder coat, Satin Etched glass

Garage Door DESIGN CENTER

Discover the perfect garage door for your home with our Garage Door Design Center. Upload a photo of your home, experiment with panel designs, colors, window styles, and decorative hardware, and visualize the transformation. Try it today by scanning the QR code or visiting wayne-dalton.com—your journey to enhanced curb appeal starts with just a click!



Wayne Dalton

DISTRIBUTED BY:

2501 S. State Hwy. 121 Bus., Ste 200
Lewisville, TX 75067

wayne-dalton.com



©2026 Wayne Dalton, a Division of Overhead Door Corporation. Consistent with our policy of continuing product improvement, we reserve the right to change product specifications without notice or obligation. Item W900-1250 10/26