Wayne Dalton™

MODEL 8670

CARRIAGE HOUSE STEEL

# COLORS

## Painted Finishes

White

Gray

Clay

Green

## Two-Toned Painted Finishes

Green/White

Gray/White

Clay/White

## Stained Finishes

Mahogany

Walnut

Natural Oak

Green

Gray

Clay

Honduran Mahogany

Red Oak

TruChoice® COLOR SYSTEM

Wayne Dalton's custom painting process offers 6,000+ colors. See your Dealer for details.

*Actual colors may vary from brochure due to fluctuations in the printing process. Always request a color sample from your Dealer for accurate color matching.*

# PANEL STYLES


Westfield


Newport


Providence


Oak Park


Lexington


Charleston


Bellview


Hampton*


Camden

** Available in Square Top only*
*Doors shown are 7' high Square Top with 3-section styling.*
*8' high doors have 4-section styling. Most styles also available in solid arched tops.*

# WINDOWS

Plain Window Square

6 Window Square

8 Window Square

12 Window Square

16 Window Square

Plain Window Arched

6 Window Arched

8 Window Arched

12 Window Arched

16 Window Arched)

*Double car windows are named by the number of window panes in the door. Example: 8 Window Square for a single car door becomes 16 Window Square for a double car door. For arched windows on double car doors, you have the option of selecting a single arch or double arch.*

*Window patterns are shown for a typical single-car door. Spacing of windows may change depending on door size. Not all windows available on all door sizes.*

### Glass Options

Clear**

Gray Tinted Tempered*

Green Tinted Tempered*

Bronze Tinted Tempered*

Obscure


Satin Etched Tempered

Black Privacy Polycarbonate

*Non-Insulated only.
**Also available in ½" insulated.

# DECORATIVE HARDWARE


Arrow


Aspen

Barcelona


Bean

*Visit wayne-dalton.com for additional hardware styles.*

# FEATURES

**Effective Joint Seals**
Snug fitting tongue-and-groove section joints reduce wind and weather from entering the garage.

**Foamed-In-Place Polyurethane Insulation**
Provides thermal efficiency with a U-factor* of 0.27 and an R-value** of 10 helps block street noise and makes the door operate more quietly.

**Detailed Construction**
Three-section styling on 7' high doors gives a custom design look. Our 8' high doors have four-section styling. All panels have finished interiors and low-profile hinges.



**TorqueMaster® Plus Counterbalance System**
Contains springs safely inside a steel tube to prevent accidental release of tension that could cause injury and features anti-drop safety technology.

**High Cycle Spring Option**
Choose a 25,000 cycle spring for more than twice the life of a standard torsion spring.

**Limited Lifetime Warranty**

*U-Factors are based on independent testing and verified per ANSI/DASMA 105. For products other than aluminum full-view doors, testing was conducted on specific sizes of solid doors. Actual thermal performance may vary by door size and configuration.*

*Wayne Dalton uses a calculated door section R-value for our insulated doors.*

*Providence panel, Clay finish, Plain Window Square*

# Garage Door DESIGN CENTER

Discover the perfect garage door for your home with our Garage Door Design Center. Upload a photo of your home, experiment with panel designs, colors, window styles, and decorative hardware, and visualize the transformation. Try it today by scanning the QR code or visiting wayne-dalton.com—your journey to enhanced curb appeal starts with just a click!

## THERMAL PERFORMANCE

DASMA Door & Access Systems Manufacturers Association International
THERMAL PERFORMANCE VERIFICATION PROGRAM
www.dasma.com/thermal

Wayne Dalton participates in the DASMA Thermal Performance Verification Program. The program verifies the thermal performance of sectional garage doors. The lower the U-factor rating, the better the thermal performance.

*Symbol indicates verified U-factor rating in accordance with the DASMA Thermal Performance Verification Program.*

Wayne Dalton

DISTRIBUTED BY:

2501 S. State Hwy. 121 Bus., Ste 200
Lewisville, TX 75067

**wayne-dalton.com**

©2026 Wayne Dalton, a Division of Overhead Door Corporation. Consistent with our policy of continuing product improvement, we reserve the right to change product specifications without notice or obligation. Item W900-1240 10/26