Wayne Dalton™

MODEL 8670


CARRIAGE HOUSE STEEL



COLORS

Painted Finishes


White


Gray


Clay


Green


Two-Toned Painted Finishes


Green/White


Gray/White


Clay/White

Stained Finishes



Mahogany


Walnut


Natural Oak


Green


Gray


Clay


Honduran Mahogany



Red Oak


TruChoice® COLOR SYSTEM


Wayne Dalton's custom painting process offers 6,000+ colors. See your Dealer for details.


Actual colors may vary from brochure due to fluctuations in the printing process. Always request a color sample from your Dealer for accurate color matching.


PANEL STYLES



Westfield



Newport



Providence



Oak Park


Lexington


Charleston


Bellview


Hampton*


Camden

** Available in Square Top only*
Doors shown are 7' high Square Top with 3-section styling.
8' high doors have 4-section styling. Most styles also available in solid arched tops.

WINDOWS


Plain Window Square


6 Window Square


8 Window Square


12 Window Square


16 Window Square


Plain Window Arched


6 Window Arched


8 Window Arched


12 Window Arched


16 Window Arched)

Double car windows are named by the number of window panes in the door. Example: 8 Window Square for a single car door becomes 16 Window Square for a double car door. For arched windows on double car doors, you have the option of selecting a single arch or double arch.

Window patterns are shown for a typical single-car door. Spacing of windows may change depending on door size. Not all windows available on all door sizes.

Glass Options


Clear**


Gray Tinted Tempered*


Green Tinted Tempered*


Bronze Tinted Tempered*


Obscure



Satin Etched Tempered





Black Privacy Polycarbonate

*Non-Insulated only.
**Also available in ½" insulated.

DECORATIVE HARDWARE


Arrow


Aspen


Barcelona


Bean


Visit wayne-dalton.com for additional hardware styles.

FEATURES

Effective Joint Seals
Snug fitting tongue-and-groove section joints reduce wind and weather from entering the garage.

Foamed-In-Place Polyurethane Insulation
Provides thermal efficiency with a U-factor* of 0.27 and an R-value** of 10 helps block street noise and makes the door operate more quietly.

Detailed Construction
Three-section styling on 7' high doors gives a custom design look. Our 8' high doors have four-section styling. All panels have finished interiors and low-profile hinges.



TorqueMaster® Plus Counterbalance System
Contains springs safely inside a steel tube to prevent accidental release of tension that could cause injury and features anti-drop safety technology.

High Cycle Spring Option
Choose a 25,000 cycle spring for more than twice the life of a standard torsion spring.

Limited Lifetime Warranty

LIMITED LIFETIME Wayne Dalton WARRANTY

*U-Factors are based on independent testing and verified per ANSI/DASMA 105. For products other than aluminum full-view doors, testing was conducted on specific sizes of solid doors. Actual thermal performance may vary by door size and configuration.

**Wayne Dalton uses a calculated door section R-value for our insulated doors.



Providence panel, Clay finish, Plain Window Square

Garage Door DESIGN CENTER

Discover the perfect garage door for your home with our Garage Door Design Center. Upload a photo of your home, experiment with panel designs, colors, window styles, and decorative hardware, and visualize the transformation. Try it today by scanning the QR code or visiting wayne-dalton.com—your journey to enhanced curb appeal starts with just a click!

THERMAL PERFORMANCE

DASMA Door & Access Systems Manufacturers Association International
THERMAL PERFORMANCE VERIFICATION PROGRAM
www.dasma.com/thermal

Wayne Dalton participates in the DASMA Thermal Performance Verification Program. The program verifies the thermal performance of sectional garage doors. The lower the U-factor rating, the better the thermal performance.

Symbol indicates verified U-factor rating in accordance with the DASMA Thermal Performance Verification Program.

Wayne Dalton

DISTRIBUTED BY:

2501 S. State Hwy. 121 Bus., Ste 200
Lewisville, TX 75067

wayne-dalton.com

©2026 Wayne Dalton, a Division of Overhead Door Corporation. Consistent with our policy of continuing product improvement, we reserve the right to change product specifications without notice or obligation. Item W900-1240 10/26