Wayne Dalton™


MODEL 8350


CLASSIC STEEL




COLORS

Modern Metallic Finishes
(Shown on Microgroove panel)



Silver


Dark Bronze


Black Frost

PANEL STYLES


Flush Panel


Microgroove Panel


Microgroove panel, Black Frost finish, Double Narrow windows

WINDOWS



Clear Long



Clear Short



Double Narrow



Narrow

Optional Window Placement




Vertical Option
(left or right)



Double Row Option
(top and intermediate)



Vertical and Horizontal
(left or right)



All Window Option

Glass Options



Clear*




Gray Tinted Tempered



Green Tinted Tempered




Bronze Tinted Tempered



Satin Etched Privacy*



Obscure*



Black Privacy
Polycarbonate


**Insulated glass available*

FEATURES

Effective Joint Seals
Snug-fitting tongue-and-groove section joints reduces wind and weather from entering the garage.

Foamed-In-Place Polyurethane Insulation Thermally efficient with a U-factor[1] of .21 and an R-value[2] of 12.12

Heavy Gauge Steel End Caps
Wrap-around end caps trim out door edges for better appearance, improved strength and protect the insulation from damage.



Silent Glide Rollers
Nylon rollers with solid steel shafts provide years of smooth, quiet and dependable operation.

High Cycle Spring Option
Choose a 25,000 cycle spring for more than twice the life of a standard torsion spring.

Wind Load Options Available
with structural reinforcements for use in coastal or high wind regions.

Limited Lifetime Warranty

[1] U-Factors are based on independent testing and verified per ANSI/DASMA 105. For products other than aluminum full-view doors, testing was conducted on specific sizes of solid doors. Actual thermal performance may vary by door size and configuration.

[2] Wayne Dalton uses a calculated door section R-value for our insulated doors.



Garage Door DESIGN CENTER

Discover the perfect garage door for your home with our Garage Door Design Center. Upload a photo of your home, experiment with panel designs, colors, window styles, and decorative hardware, and visualize the transformation. Try it today by scanning the QR code or visiting wayne-dalton.com—your journey to enhanced curb appeal starts with just a click!

THERMAL PERFORMANCE

DASMA Door & Access Systems Manufacturers Association International
THERMAL PERFORMANCE VERIFICATION PROGRAM
www.dasma.com/thermal

Wayne Dalton participates in the DASMA Thermal Performance Verification Program. The program verifies the thermal performance of sectional garage doors. The lower the U-factor rating, the better the thermal performance.

Symbol indicates verified U-factor rating in accordance with the DASMA Thermal Performance Verification Program.

Wayne Dalton

DISTRIBUTED BY:

2501 S. State Hwy. 121 Bus., Ste 200
Lewisville, TX 75067

wayne-dalton.com

©2026 Wayne Dalton, a Division of Overhead Door Corporation. Consistent with our policy of continuing product improvement, we reserve the right to change product specifications without notice or obligation. Item W900-1398 10/26