

Wayne
 **Dalton**TM

M O D E L

8310

DESIGNER STEEL



COLORS

Standard Finishes



White



Almond



Sandstone



Brown

Premium Finishes



Desert Tan



Gray



Terra Bronze



Black


Premium Custom Finishes




Model 8310 is available with the TruChoice® Color System, Wayne Dalton's custom painting process that offers 6,000+ colors. See your Dealer for details.

Actual colors may vary from brochure due to fluctuations in the printing process. Always request a color sample from your Dealer for accurate color matching.

PANEL STYLES



Ridgefield



Riverton

Doors taller than 7' will have 4-section styling.

WINDOWS



Plain Window Square



Stockbridge (3-Pane)



Stockbridge (4-Pane)



Stockton (6-Pane)



Stockton (8-Pane)



Plain Window Arched



Wyndbridge (3-Pane)



Wyndbridge (4-Pane)



Somerton (6-Pane)



Somerton (8-Pane)

Option of single or double arch for double car doors. Window size and shape may vary slightly based on door size. All windows are made using a single piece of glass with dividers. Clear, obscure and satin etched glass available in insulated and non-insulated.

Glass Options



Clear†




Gray Tinted



Green Tinted



Bronze Tinted



Satin Etched Privacy†



Obscure†

†Insulated glass available.

DECORATIVE HARDWARE



Arrow



Aspen



Barcelona



Bean

Visit wayne-dalton.com for additional hardware styles.

FEATURES

Foamed-in-Place Polyurethane Insulation

Provides thermal efficiency with a U-factor* of 0.21 and an R-value** of 12.12.

TorqueMaster® Plus Counter Balance System

Contains springs safely inside a steel tube to prevent accidental release of tension that could cause injury and features anti-drop safety technology.



Three Sections for 7' High Doors

Provide large steel embossments for a dramatic appearance.

High Cycle Spring Option

Choose a 25,000 cycle spring for more than twice the life of a standard torsion spring.

Limited Lifetime Warranty




**U-Factors are based on independent testing and verified per ANSI/DASMA 105. For products other than aluminum full-view doors, testing was conducted on specific sizes of solid doors. Actual thermal performance may vary by door size and configuration.*

***Wayne Dalton uses a calculated door section R-value for our insulated doors.*

AFTER

BEFORE



Ridgefield panel, White finish, Stockbridge (3-Pane) windows, Decorative hardware

Garage Door DESIGN CENTER

Discover the perfect garage door for your home with our Garage Door Design Center. Upload a photo of your home, experiment with panel designs, colors, window styles, and decorative hardware, and visualize the transformation. Try it today by scanning the QR code or visiting wayne-dalton.com—your journey to enhanced curb appeal starts with just a click!



THERMAL PERFORMANCE



Wayne Dalton participates in the DASMA Thermal Performance Verification Program. The program verifies the thermal performance of sectional garage doors. The lower the U-factor rating, the better the thermal performance.



Symbol indicates verified U-factor rating in accordance with the DASMA Thermal Performance Verification Program.

Wayne Dalton™

DISTRIBUTED BY:

2501 S. State Hwy. 121 Bus., Ste 200
Lewisville, TX 75067

wayne-dalton.com

