





Wayne Dalton has been a trusted leader in the garage door industry since 1954, earning a reputation for innovative design, quality craftsmanship, and dependable customer service. Starting in the heart of Ohio with a focus on wood doors, our legacy of excellence has grown into one of the largest and most diverse residential garage door lineups available today. From award-winning innovations to extensive customization options—featuring panel designs, window styles, and colors to suit any architectural style—Wayne Dalton doors offer unmatched versatility and style. Backed by decades of ingenuity and a commitment to helping dealers succeed, Wayne Dalton continues to set the standard for industry-leading garage door solutions



Warranty

All Wayne Dalton garage doors are made with superior materials and come with a Limited Warranty.



Insulation

An insulated garage door can help in controlling the temperature in your garage space. The effectiveness of insulation is expressed in either as a U-factor* or an R-value**. The lower the U-factor or higher the R-value, the better the insulation in the door. Wayne Dalton offers two types of insulation in our garage doors.



Polyurethane Insulation – Foamed-in-place polyurethane insulation delivers twice the thermal performance of polystyrene insulation, as well as adds strength to the door and helps dampen sound transmission. U-factors range from 0.12 to 0.28 and R-values range from 9 to 16.22

Polystyrene Insulation – A rigid panel of insulation placed inside the door section, with a maximum R-value of 7.4.



Pinch-Resistant Panels

Select Wayne Dalton models feature pinch-resistant panels, designed to push fingers out of harm's way if accidentally placed near a closing door.



Tight Tongue-and-Groove Joint Seals

Select Wayne Dalton models include snug-fitting tongue-and-groove joint seals that help reduce wind and weather from entering the garage.



WindSafe® Wind Load Options



Most Wayne Dalton garage doors offer wind load options that comply with one or more of the following agencies: Florida Building Code, Texas Department of Insurance and Miami-Dade County (FL).



Impact Wind Load Options



Select Wayne Dalton garage doors have been approved for impact resistance. Tests show these doors are capable of stopping the direct impact of a 9 lb. 2x4 board at 50 ft. per second.



TorqueMaster® Plus Counterbalance System

Wayne Dalton's exclusive counterbalance system safely and cleanly contains the garage door springs inside a steel tube. The TorqueMaster® Plus is designed to provide a safeguard against damage or injury that could result from the accidental release of spring tension and features an anti-drop safety device.



Bottom Weather Seal

All Wayne Dalton garage doors feature a vinyl bottom weather seal to help keep drafts and debris from entering the garage.



TruChoice® Custom Color System



With more than 6,000 colors to choose from, there have never been more choices to coordinate your garage door with your home! This state-of-the-art system uses a multi-step process that mixes each custom color and then bakes the color on for a top-quality factory finish.

*U-factor is independently tested and verified per ANSI/DASMA 105 using solid doors and specific product sizes.

**Wayne Dalton uses a calculated door section R-value for our insulated doors.

Classic Steel

Traditional Style

These timeless garage door designs coordinate with any style of home and are available in an assortment of trendy colors and window options. From uninsulated, one-layer construction to our most thermally efficient garage door, the Classic Steel Collection offers a door for every budget and home.



Model 8300, Flush Panel, Wood Grain Impressions™ Finish Collection Carbon Oak Plank, Clear Long Windows



Model 9100, Short panel, Desert Tan finish, Stockton I windows



Model 8300, Wood Grain Impressions™ Finish Collection Carbon Oak Plank



| | GOOD | | BETTER | | BEST | | |
|--------------------|-----------------------|-------------------------|---|---|---|---|---|
| | MODEL 8000 | MODEL 8200 | MODEL 9100 | MODEL 9605 | MODEL 8300 | MODEL 8350 | MODEL 8500 |
| Construction | Steel | Steel/Insulation | Steel/Insulation/ ToughGard™ backer | Steel/Insulation/ Steel | Steel/Insulation/ Steel | Steel/Insulation/ Steel | Steel/Insulation/ Steel |
| Insulation* | N/A | Polystyrene, R = 7.4 | Polyurethane U-factor: 0.26 R-value: 9 | Polyurethane U-factor: 0.26 R-value: 10† | Polyurethane U-factor: 0.15 R-value: 12.12 | Polyurethane U-factor: 0.15 R-value: 12.12 | Polyurethane U-factor: 0.12 R-value: 16.22 |
| TorqueMaster® Plus | • | • | • | • | | | |
| Joint Type | Tongue-and- Groove | Tongue-and- Groove | Pinch-Resistant | Pinch-Resistant | Tongue-and- Groove | Tongue-and- Groove | Tongue-and- Groove |
| WindSafe® Options | • | • | • | • | • | • | • |
| Impact Options | • | • | • | • | • | • | • |
| Warranty | 10-Year Limited | 10-Year Limited | Limited Lifetime | Limited Lifetime | Limited Lifetime | Limited Lifetime | Limited Lifetime |

*U-factor is independently tested and verified per ANSI/DASMA 105 using solid doors and specific product sizes.

**Wayne Dalton uses a calculated door section R-value for our insulated doors.

†R-value = 10 at 8' high. R-value may differ slightly for other heights.

8000 & 8200




Model 8200, Ranch panel, Almond finish, Cascade II windows




Model 8000, Ranch panel, White finish, Clear I windows


1 Choose Your Style



Colonial




Ranch



Sonoma

2 Choose Your Color

Painted Finishes (Standard)



White



Almond



Taupe



Brown



Black

3 Choose Your Windows



Cascade II



Sherwood I



Stockton II



Prairie II



Clear I



Stockbridge II



Arched Stockton



Clear II



Stockton I



Prairie I

Not all window styles available on all panel designs.
Window configuration may vary depending on door size.
See Dealer or website for complete window selection.



MODELS

9100 & 9605




Model 9605, Flush panel, Custom painted after installation, Clear Long vertical windows




Model 9100, Long panel, Black finish, Stockton Long (8-Lite) windows


1 Choose Your Style




Short




Long



Vertical Short



Vertical Long



Flush

2 Choose Your Color

Painted Finishes (Standard)



White



Almond



Sandstone



Gray



Brown



Black

Premium Finish



Available on Model 9605

3 Choose Your Windows



Cascade Long



Sherwood Short



Stockton Long (8-Lite)



Prairie Long



Clear Short



Stockbridge Long (4-Lite)



Arched Stockton



Clear Long



Stockton Short



Prairie Short

Not all window styles available on all panel designs. Window configuration may vary depending on door size. See Dealer or website for complete window selection.



MODELS


8300 & 8500

8300AG/8500AG




Model 8300, Long panel, Bi-Directional Carbon Oak finish, Clear Long windows


1 Choose Your Style




Short




Long



Vertical Short



Vertical Long
(Model 8300 only)



Flush

2 Choose Your Color

Painted Finishes (Standard)




White



Almond



Sandstone



Gray



Brown



Black

Wood Grain Impressions™ Plank Finishes

Stucco embossment (Available on Models 8300/8300AG Flush panel only)



Cedar Plank



Medium Oak Plank



Beachwood Plank



Carbon Oak Plank



Black Plank



White Plank

Wood Grain Impressions™ Bi-Directional Finishes

Stucco embossment (Not available on Flush panel)



Western Cedar



Medium Oak



Carbon Oak

Premium Finish



3 Choose Your Windows



Cascade Short



Cascade Long



Clear Short



Clear Long



Prairie Short



Stockbridge Long (4-Lite)



Stockton Short



Stockton Long (8-Lite)



Arched Stockton



Narrow



Double Narrow

Not all window styles available on all panel designs.
Window configuration may vary depending on door size.
See Dealer or website for complete window selection.

MODEL
8350





Flush panel, Dark Bronze, Vertical Double Narrow windows



Flush panel, Black Frost finish, Clear Long windows

1 Panel




Flush Panel

Microgroove Panel

2 Choose Your Color

Modern Metallic Finishes



Silver

Dark Bronze

Black Frost

3 Choose Your Windows



Clear Long



Clear Short



Double Narrow



Narrow



Flush panel, Silver finish, Double Narrow windows

Designer Steel

Striking Looks

Bold design meets premium construction in Wayne Dalton's Designer Steel Collection. With a full-section embossment and tall sections, these doors feature dramatic design coordinating with virtually any aesthetic.





Model 8310, Ridgefield panel, Black finish, Plain Window Square

MODEL 8310



Riverton panel, Almond finish, Plain Window Square, Decorative hardware

1 Panel Style



Ridgefield

Riverton

3-section styling on 7' high doors. Number and height of sections will vary depending on door height.

MODEL 8310


| | |
|--------------------|--|
| Construction | Steel/Insulation/Steel |
| Insulation | Polyurethane, U-factor* \leq 0.15 R-value** = 12.12 |
| TorqueMaster® Plus | • |
| Joint Type | Tongue-and-Groove |
| TruChoice® | • |
| Warranty | Limited Lifetime |

2 Choose Your Color

Painted Finishes (Standard)



White



Almond




Sandstone



Brown

Premium Finishes



Desert Tan



Gray




Terra Bronze



Black

3 Choose Your Windows



Stockbridge (4-pane)



Stockbridge (3-pane)



Stockton (6-pane)



Stockton (8-pane)



Plain Window Square



Plain Window Arched



Wyndbridge (3-pane)



Wyndbridge (4-pane)

Window configuration may vary depending on door size. See Dealer or website for complete window selection.



Actual colors may vary from brochure due to fluctuations in the printing process. Always request a color sample from your Dealer for accurate color matching.

*U-factor is independently tested and verified per ANSI/DASMA 105 using solid doors and specific product sizes.
**Wayne Dalton uses a calculated door section R-value for our insulated doors.

Carriage House Steel

Old World Charm

Inspired by vintage barns, our Carriage House Steel Collection has an old-world look that will make any home the envy of the neighborhood. These doors are fully insulated with foamed-in-place polyurethane insulation and three-layer construction for thermal efficiency.






Model 8670, Charleston panel, White finish, 12 Window Square, Decorative hardware



Model 8600, Bellview panel, Custom painted after installation, Stockton III windows



Model 9405, Newport panel, Custom painted after installation, Stockbridge windows, Decorative hardware

| | GOOD | BETTER | BEST |
|--------------------|---|---|--|
| | MODEL 9405 | MODEL 8670 | MODEL 8600 |
| Construction | Steel/Insulation/Steel | Steel/Insulation/Steel | Wood Overlay/Steel/Insulation/Steel |
| Insulation | Polyurethane, U-factor*  = 0.27 R-value** = 10 | Polyurethane, U-factor*  = 0.16 R-value** = 10 | Polyurethane, U-factor*  = 0.15 R-value** = 12.12 |
| TorqueMaster® Plus | • | • | |
| Joint Type | Pinch-Resistant | Tongue-and-Groove | Tongue-and-Groove |
| TruChoice® | • | • | |
| WindSafe® Options | • | | • |
| Impact Options | • | | • |
| Warranty | Limited Lifetime | Limited Lifetime | Limited Lifetime |

*U-factor is independently tested and verified per ANSI/DASMA 105 using solid doors and specific product sizes.

**Wayne Dalton uses a calculated door section R-value for our insulated doors.

MODEL
9405




Westfield panel, Custom painted after installation, Stockbridge windows




Lexington panel, Custom painted after installation, Stockbridge windows, Decorative hardware

1 Choose Your Style



2 Choose Your Color

Painted Finishes




Premium Finish



Two-Toned Painted Finishes



3 Choose Your Windows



Window configuration may vary depending on door size.





Providence panel, Honduran Mahogany finish, 6 Window Square

2 Choose Your Color

Painted Finishes



White (Standard)



Clay



Gray



Green

Stained Finishes



Natural Oak



Red Oak



Clay



Gray



Mahogany



Honduran Mahogany



Walnut




Green

Premium Finish




Model 8670 doors are hand stained for a natural look.


1 Choose Your Style




Bellview




Charleston



Lexington




Portland-Top




Portland-Full




Westfield




Newport




Providence
3-section styling on 7' high doors. Number and height of sections will vary depending on door height.



Oak Park



Hampton



Camden

Two-Toned Painted Finishes



White/Clay



White/Gray



White/Green

3 Choose Your Windows



Plain Window Square



6 Window Square



8 Window Square



12 Window Square



16 Window Square



Plain Window Arched



6 Window Arched



8 Window Arched



12 Window Arched



16 Window Arched

Window names reflect number of panes. Window configuration may differ depending on door size. See Dealer or website for complete window selection.

MODEL
8600




Kingston Arched panel, Custom painted after installation, Decorative hardware



Brunswick panel, White finish, Stockton windows, Decorative hardware


1 Choose Your Style




Also available in solid arched top designs.

2 Choose Your Color

Painted Finishes (Standard)



3 Choose Your Windows



Window inserts are also available. Window configuration may differ depending on door size. See Dealer or website for complete window selection.





Model 9405, Lexington panel, Custom painted after installation, Stockton III windows, Decorative hardware



Model 8670, Westfield panel, White finish, 12 Window Square, Decorative hardware



Model 8600, Springfield panel, Custom painted after installation, Arched Stockton windows

Designer Fiberglass

Versatile Design

Our Designer Fiberglass Collection is designed with the warmth and beauty of wood, but without the maintenance a real wood door requires. Classic and modern designs are made with artfully molded wood grain fiberglass bonded to a durable and fully insulated steel garage door.



Horizontal V-Groove panel, Natural Oak finish, Vertical windows

MODEL 8680



Vertical Raised panel, Walnut finish



Realistic wood detail


MODEL 8680

| | |
|--------------------|---|
| Construction | Fiberglass/Steel/ Insulation/Steel |
| Insulation | Polyurethane, U-factor*: $\frac{1}{10}$ = 0.15 R-value** = 11 |
| TorqueMaster® Plus | • |
| Joint Type | Tongue-and-Groove |
| Warranty | Limited Lifetime |


*U-factor is independently tested and verified per ANSI/DASMA 105 using solid doors and specific product sizes.

**Wayne Dalton uses a calculated door section R-value for our insulated doors.


1 Choose Your Style




Horizontal Raised



Vertical Raised



Sonoma



Horizontal V-Groove

Panel designs have a distinct wood grain pattern. See website for details.


2 Choose Your Color



White




Clay



Gray




Honduran Mahogany



Natural Oak




Red Oak



Cherry



Mahogany



Walnut



Green

3 Choose Your Windows



Plain Lite



6 Lite



8 Lite



12 Lite



16 Lite



20 Lite



Horizontal Raised



Vertical Raised

Window names reflect number of panes.
Not all windows available for all panel designs.
Window configuration may vary depending on door size.
See Dealer or website for complete window selection.

Contemporary Aluminum

Sleek and Modern

Contemporary homes deserve a garage door as modern as they are. Designed with clean lines and offered in a variety of finishes, Wayne Dalton's Contemporary Aluminum Collection is the ultimate in sleek and modern garage door design.





Model 8800, Dark Bronze powder coated aluminum, Satin Etched glass



Model 8850, Black powder coated aluminum, White Laminated glass

| | MODEL 8800 | MODEL 8850 | MODEL 8855 | MODEL 8450 |
|-----------------|---|---|---|--------------------------------|
| Construction | Aluminum with Reinforcing Fins | Aluminum with Reinforcing Fins | Aluminum with Reinforcing Fins | Aluminum with Reinforcing Fins |
| Frameless Glass | N/A | N/A | N/A | • |
| Insulation | Optional Polyurethane, U-factor* as low as .27 R-value** up to 4.36 | Optional Polyurethane, U-factor* as low as .28 R-value** up to 4.36 | Optional Polyurethane, U-factor* as low as .28 R-value** up to 4.36 | N/A |
| Joint Type | Tongue-and-Groove | Tongue-and-Groove | Tongue-and-Groove | Tongue-and-Groove |
| RAL Powder Coat | • | • | • | N/A |
| Warranty | 5-Year Limited | 1-Year Limited | 1-Year Limited | 1-Year Limited |

*U-factor is independently tested and verified per ANSI/DASMA 105 using doors with full glazing and specific product sizes.
 **Wayne Dalton uses a calculated door section R-value for our insulated doors.

MODEL

8450 LUMINOUS[®]



1 Choose Your Frame Color


Powder Coated Finishes (Standard)



White



Bronze



Black

Anodized Finishes (Optional)



Black



Bronze

2 Choose Your Glass



Mirrored Gray



Mirrored Bronze



Translucent Black



Opaque White



Opaque Black

MODELS

8800/8850/8855



Model 8800, Black anodized aluminum, White Laminated glass



Model 8850, Clear anodized aluminum, Clear glass

1 Choose Your Frame Color

Anodized Finishes



Clear (Standard)



Bronze



Black


Powder Coated Finishes



White (8800 only)



Black



White

Painted Finishes (8850 only)



Brown



Dark Bronze



For Model 8855 only

2 Choose Your Glass



Clear (Standard)



Green Tinted



Gray Tinted



Bronze Tinted



Satin Etched



White Laminated



Obscure

Specialty Vinyl

Elegant Durability

Ideal for coastal regions, Wayne Dalton's Specialty Vinyl Collection is resistant to salt air and sand, and won't rust, fade, crack, or dent. Engineered to be elegant and maintenance free, these doors contain special polymers that protect the door from UV rays.



MODEL
8700




Colonial panel, Adobe Cream finish




Colonial panel, Glacier White finish, Ruston windows

1 Choose Your Style



Colonial



Sonoma

2 Choose Your Color



Glacier White



Adobe Cream



Cape Cod Gray



Monterey Sand

3 Choose Your Windows



Stockton I



Williamsburg I

Window configuration may vary depending on door size.
See Dealer or website for complete window options.



| MODEL 8700 | |
|--------------------|---|
| Construction | Vinyl/Insulation/Vinyl |
| Insulation | Polyurethane, U-factor* = 0.24 R-value** = 11.75 |
| TorqueMaster® Plus | • |
| Joint Type | Tongue-and-Groove |
| WindSafe® options | • |
| Warranty | 15-Year Limited |

*U-factor is independently tested and verified per ANSI/DASMA 105 using solid doors and specific product sizes.
**Wayne Dalton uses a calculated door section R-value for our insulated doors.

Wood Doors

Stunning Craftsmanship

Wood garage doors are the ideal choice for homes of distinction, offering a refined elegance that only premium wood materials can achieve. Our craftsmen hand-build these beautiful wood doors with thorough attention to detail for a truly remarkable garage door.





Model 44 Grooved Plywood, 3 over 3 Windows



Model 300, 4x8 pane, Sunray windows

| | GOOD | | BETTER | BEST | |
|------------------------|-----------------------|-------------------|----------------------|-------------------------------------|--|
| | MODEL 40 | MODEL 100 | MODEL 300 | MODEL 7100 | MODEL 7400 |
| Construction | Wood/Insulation/Wood | Wood overlay/Wood | Wood/Insulation | Wood overlay/Wood panel/Wood backer | Wood overlay/Wood panel/Insulation/Wood backer |
| Design | Flush | Recessed Panel | Raised Panel | Carriage House | Carriage House |
| Insulation* | Polystyrene, R = 4.75 | N/A | Polystyrene, R = 7.4 | Optional Polystyrene, R = 4.75 | Polystyrene, R = 4.75 |
| Section Thickness | 1-3/8" to 1-5/8" | 1-3/8" | 1-3/8" | 1-5/8" | 2"*** |
| Unfinished Paint Grade | • | • | • | • | • |
| Unfinished Stain Grade | • | | • | • | • |
| WindSafe® Options | | | | • | • |
| Warranty | 1-Year Limited | 1-Year Limited | 1-Year Limited | 1-Year Limited | 1-Year Limited |

*Wayne Dalton uses a calculated door section R-value for our insulated doors.

**Thickness may vary slightly depending on wood type.

Flush Wood



Model 44, Grooved Plywood

1 Choose Your Wood



Rough Sawn Plywood



T1-11 Plywood



Smooth Plywood



Marine Grade

2 Choose Your Windows



Cathedral*




Real Sunray




False Sunray*




2 Panel – 2 over 2




4 Panel – 2 over 2



2 Panel – 3 over 3



2 Panel – 4 over 4



2 Panel – 5 over 5

*Windows shown for 1 car panel designs.
Not all window will fit all door sizes.
Factory will advise if there is a problem with fitting.
*Molded designs with plastic inserts may not fit all panel sizes.
Consult your distributor for availability.*


Colonial Wood



Model 100, 4-4 panel, Plain Long Panel windows

1 Choose Your Style

Single-car door designs. (optional windows shown).




4-2



4-4

Double-car door designs.
(optional windows shown).



4-4



4-8

2 Choose Your Wood



Smooth
hardboard



Smooth
plywood

3 Choose Your Windows




Cathedral



Plain Long Panel



Plain Short Panel



Stockton*



Sunray

Window configuration may vary depending on door size.
*Other Stockton windows are available.
Not all windows are available in all sizes.
Consult your Dealer for details.


Classic Wood




Model 300, 4x4 panel

1 Choose Your Style


Panel Designs




4-2




4-3




4-4




4-6



5-2



5-3



5-6

Double-car designs look like two single-car doors together.

2 Choose Your Wood



Hemlock



Cedar*

*Not available primed.

3 Choose Your Windows

Wood Window Inserts



Bachelor



Cathedral



Ruston



Sherwood



Sunray

True Divided Windows



Colonial Stockton



Elongated Stockton

Window configuration may vary depending on door size.
Not all windows available on all models.
See Dealer or website for details.



Model 300, 4-8 panel

Carriage House Wood




Model 7100, Mustang panel, 6 Lite Arched windows




7100 Mustang, 32 Lite Square windows


1 Choose Your Style




Palomino Wide




Palomino Narrow




Clydesdale Grooved




Clydesdale




Mustang




Stallion Wide



Stallion Narrow



Appaloosa Grooved




Appaloosa

2 Choose Your Wood



Western Red Cedar



Hemlock




Sapele Mahogany



Meranti



Douglas Fir



Knotty Cedar



Marine Grade



Rough Sawn Plywood



Luan Meranti Plywood

3 Choose Your Windows

Square Top

True Vertical Divided



4 Lite



6 Lite



8 Lite

Arched Top

True Vertical Divided



4 Lite



6 Lite



8 Lite

Square Top

True Cross Divided



8 Lite



12 Lite



16 Lite

Arched Top

True Cross Divided



8 Lite



12 Lite



16 Lite

3-section styling on 7' high doors. Number and height of sections will vary depending on door height. Panels above also available in arch top designs.

Window names reflect number of panes. Window configuration may vary depending on door size. See Dealer or website for complete window selection.

Carriage House Wood




7400 Churchill, Custom windows




7400 Derby, 16 Lite Arched windows, Decorative hardware


1 Choose Your Style




Remington




Belterra




Saratoga




Belmont




DelMar



Preakness



Derby




Churchill

3-section styling on 7' high doors. Number and height of sections will vary depending on door height. Panels above also available in arch top designs.

2 Choose Your Wood



Western Red Cedar



Hemlock



Sapele Mahogany



Meranti



Douglas Fir



Knotty Cedar



Marine Grade



Rough Sawn Plywood



Luan Meranti Plywood

Window names reflect number of panes. Window configuration may vary depending on door size. See Dealer or website for complete window selection.

3 Choose Your Windows

Square Top

True Vertical Divided



4 Lite



6 Lite



8 Lite

Arched Top

True Vertical Divided



4 Lite



6 Lite



8 Lite

Square Top

True Cross Divided



8 Lite



12 Lite



16 Lite

Arched Top

True Cross Divided



8 Lite



12 Lite



16 Lite





Model 7100, Mustang panel, 24 Lite Arch windows



Model 8670, Providence panel, Custom painted after installation, 12 Window Square



Discover the perfect garage door for your home with Wayne Dalton's interactive Garage Door Design Center. Upload a photo of your home, experiment with panel designs, colors, window styles, and decorative hardware, and instantly visualize the transformation. Try it today by scanning the QR code or visiting wayne-dalton.com—your journey to enhanced curb appeal starts with just a click!




THERMAL PERFORMANCE

Wayne Dalton™

2501 S. State Hwy. 121 Bus., Ste 200
Lewisville, TX 75067

wayne-dalton.com



Wayne Dalton participates in the DASMA Thermal Performance Verification Program. The program verifies the thermal performance of sectional garage doors. The lower the U-factor rating, the better the thermal performance.



Symbol indicates verified U-factor rating in accordance with the DASMA Thermal Performance Verification Program.