



Residential Garage Doors





Wayne Dalton has been a trusted leader in the garage door industry since 1954, earning a reputation for innovative design, quality craftsmanship, and dependable customer service. Starting in the heart of Ohio with a focus on wood doors, our legacy of excellence has grown into one of the largest and most diverse residential garage door lineups available today. From award-winning innovations to extensive customization options—featuring panel designs, window styles, and colors to suit any architectural style—Wayne Dalton doors offer unmatched versatility and style. Backed by decades of ingenuity and a commitment to helping dealers succeed, Wayne Dalton continues to set the standard for industry-leading garage door solutions



Warranty

All Wayne Dalton garage doors are made with superior materials and come with a Limited Warranty.



Insulation

An insulated garage door can help in controlling the temperature in your garage space. The effectiveness of insulation is expressed in either as a U-factor* or an R-value**. The lower the U-factor or higher the R-value, the better the insulation in the door. Wayne Dalton offers two types of insulation in our garage doors.



Polyurethane Insulation – Foamed-in-place polyurethane insulation delivers twice the thermal performance of polystyrene insulation, as well as adds strength to the door and helps dampen sound transmission. U-factors range from 0.12 to 0.28 and R-values range from 9 to 16.22

Polystyrene Insulation – A rigid panel of insulation placed inside the door section, with a maximum R-value of 7.4.



Pinch-Resistant Panels

Select Wayne Dalton models feature pinch-resistant panels, designed to push fingers out of harm's way if accidentally placed near a closing door.



Tight Tongue-and-Groove Joint Seals

Select Wayne Dalton models include snug-fitting tongue-and-groove joint seals that help reduce wind and weather from entering the garage.



WindSafe® Wind Load Options



Most Wayne Dalton garage doors offer wind load options that comply with one or more of the following agencies: Florida Building Code, Texas Department of Insurance and Miami-Dade County (FL).



Impact Wind Load Options



Select Wayne Dalton garage doors have been approved for impact resistance. Tests show these doors are capable of stopping the direct impact of a 9 lb. 2x4 board at 50 ft. per second.



TorqueMaster® Plus Counterbalance System

Wayne Dalton's exclusive counterbalance system safely and cleanly contains the garage door springs inside a steel tube. The TorqueMaster® Plus is designed to provide a safeguard against damage or injury that could result from the accidental release of spring tension and features an anti-drop safety device.



Bottom Weather Seal

All Wayne Dalton garage doors feature a vinyl bottom weather seal to help keep drafts and debris from entering the garage.



TruChoice® Custom Color System



With more than 6,000 colors to choose from, there have never been more choices to coordinate your garage door with your home! This state-of-the-art system uses a multi-step process that mixes each custom color and then bakes the color on for a top-quality factory finish.

*U-factor is independently tested and verified per ANSI/DASMA 105 using solid doors and specific product sizes.

**Wayne Dalton uses a calculated door section R-value for our insulated doors.

Classic Steel

Traditional Style

These timeless garage door designs coordinate with any style of home and are available in an assortment of trendy colors and window options. From uninsulated, one-layer construction to our most thermally efficient garage door, the Classic Steel Collection offers a door for every budget and home.



Model 8300, Flush Panel, Wood Grain Impressions™ Finish Collection Carbon Oak Plank, Clear Long Windows




	GOOD		BETTER		BEST		
	MODEL 8000	MODEL 8200	MODEL 9100	MODEL 9605	MODEL 8300	MODEL 8350	MODEL 8500
Construction	Steel	Steel/Insulation	Steel/Insulation/ ToughGard™ backer	Steel/Insulation/ Steel	Steel/Insulation/ Steel	Steel/Insulation/ Steel	Steel/Insulation/ Steel
Insulation*	N/A	Polystyrene, R = 7.4	Polyurethane U-factor: 0.26 R-value: 9	Polyurethane U-factor: 0.26 R-value: 10†	Polyurethane U-factor: 0.15 R-value: 12.12	Polyurethane U-factor: 0.15 R-value: 12.12	Polyurethane U-factor: 0.12 R-value: 16.22
TorqueMaster® Plus	•	•	•	•			
Joint Type	Tongue-and- Groove	Tongue-and- Groove	Pinch-Resistant	Pinch-Resistant	Tongue-and- Groove	Tongue-and- Groove	Tongue-and- Groove
WindSafe® Options	•	•	•	•	•	•	•
Impact Options	•	•	•	•	•	•	•
Warranty	10-Year Limited	10-Year Limited	Limited Lifetime	Limited Lifetime	Limited Lifetime	Limited Lifetime	Limited Lifetime

*U-factor is independently tested and verified per ANSI/DASMA 105 using solid doors and specific product sizes.

**Wayne Dalton uses a calculated door section R-value for our insulated doors.

†R-value = 10 at 8' high. R-value may differ slightly for other heights.

8000 & 8200




Model 8200, Ranch panel, Almond finish, Cascade II windows




Model 8000, Ranch panel, White finish, Clear I windows


1 Choose Your Style



Colonial



Ranch



Sonoma

2 Choose Your Color

Painted Finishes (Standard)



White



Almond



Taupe



Brown



Black

3 Choose Your Windows



Cascade II



Sherwood I



Stockton II



Prairie II



Clear I



Stockbridge II



Arched Stockton



Clear II



Stockton I



Prairie I

Not all window styles available on all panel designs.
Window configuration may vary depending on door size.
See Dealer or website for complete window selection.



MODELS

9100 & 9605




Model 9605, Flush panel, Custom painted after installation, Clear Long vertical windows




Model 9100, Long panel, Black finish, Stockton Long (8-Lite) windows


1 Choose Your Style




Short




Long



Vertical Short



Vertical Long



Flush

2 Choose Your Color

Painted Finishes (Standard)



White



Almond



Sandstone



Gray



Brown



Black

Premium Finish



Available on Model 9605

3 Choose Your Windows



Cascade Long



Sherwood Short



Stockton Long (8-Lite)



Prairie Long



Clear Short



Stockbridge Long (4-Lite)



Arched Stockton



Clear Long



Stockton Short



Prairie Short

Not all window styles available on all panel designs.
Window configuration may vary depending on door size.
See Dealer or website for complete window selection.




MODELS


8300 & 8500

8300AG/8500AG


1 Choose Your Style




Short




Long



Vertical Short



Vertical Long
(Model 8300 only)



Flush

2 Choose Your Color

Painted Finishes (Standard)



White



Almond



Sandstone



Terra Bronze



Brown



Black

Wood Grain Impressions™ Plank Finishes

Stucco embossment (Available on Models 8300/8300AG Flush panel only)



Cedar
Plank



Medium Oak
Plank



Beachwood
Plank



Carbon Oak
Plank



Black
Plank



White
Plank

Wood Grain Impressions™ Bi-Directional Finishes

Stucco embossment (Not available on Flush panel)



Western Cedar



Medium Oak



Carbon Oak

Premium Finish



White
Plank

3 Choose Your Windows




Cascade Short




Cascade Long



Clear Short



Clear Long



Prairie Short



Stockbridge Long (4-Lite)



Stockton Short



Stockton Long (8-Lite)



Arched Stockton



Narrow



Double Narrow

Not all window styles available on all panel designs.
Window configuration may vary depending on door size.
See Dealer or website for complete window selection.



Model 8300, Long panel, Bi-Directional Carbon Oak finish, Clear Long windows

MODEL 8350




Flush panel, Dark Bronze, Vertical Double Narrow windows




Flush panel, Black Frost finish, Clear Long windows

1 Panel




Flush Panel



Microgroove Panel

2 Choose Your Color

Modern Metallic Finishes



Silver



Dark Bronze



Black Frost

3 Choose Your Windows



Clear Long



Clear Short



Double Narrow



Narrow



Flush panel, Silver finish, Double Narrow windows

Striking Looks

Bold design meets premium construction in Wayne Dalton's Designer Steel Collection. With a full-section embossment and tall sections, these doors feature dramatic design coordinating with virtually any aesthetic.




Model 8310, Ridgefield panel, Black finish, Plain Window Square

MODEL 8310




Riverton panel, Almond finish, Plain Window Square, Decorative hardware

1 Panel Style



Ridgefield



Riverton

3-section styling on 7' high doors. Number and height of sections will vary depending on door height.

MODEL 8310


Construction	Steel/Insulation/Steel
Insulation	Polyurethane, U-factor* ≤ 0.15 R-value** = 12.12
TorqueMaster® Plus	•
Joint Type	Tongue-and-Groove
TruChoice®	•
Warranty	Limited Lifetime

2 Choose Your Color

Painted Finishes (Standard)



White




Almond




Sandstone




Brown



Desert Tan



Gray



Terra Bronze




Black

Premium Finishes

3 Choose Your Windows



Stockbridge (4-pane)



Stockbridge (3-pane)



Stockton (6-pane)




Stockton (8-pane)




Plain Window Square



Plain Window Arched



Wyndbridge (3-pane)



Wyndbridge (4-pane)

Window configuration may vary depending on door size. See Dealer or website for complete window selection.



Actual colors may vary from brochure due to fluctuations in the printing process. Always request a color sample from your Dealer for accurate color matching.

*U-factor is independently tested and verified per ANSI/DASMA 105 using solid doors and specific product sizes.
**Wayne Dalton uses a calculated door section R-value for our insulated doors.

Carriage House Steel

Old World Charm

Inspired by vintage barns, our Carriage House Steel Collection has an old-world look that will make any home the envy of the neighborhood. These doors are fully insulated with foamed-in-place polyurethane insulation and three-layer construction for thermal efficiency.



Model 8670, Charleston panel, White finish, 12 Window Square, Decorative hardware



Model 8600, Bellview panel, Custom painted after installation, Stockton III windows



Model 9405, Newport panel, Custom painted after installation, Stockbridge windows, Decorative hardware

	GOOD	BETTER	BEST
	MODEL 9405	MODEL 8670	MODEL 8600
Construction	Steel/Insulation/Steel	Steel/Insulation/Steel	Wood Overlay/Steel/Insulation/Steel
Insulation	Polyurethane, U-factor* = 0.27 R-value** = 10	Polyurethane, U-factor* = 0.16 R-value** = 10	Polyurethane, U-factor* = 0.15 R-value** = 12.12
TorqueMaster® Plus	•	•	
Joint Type	Pinch-Resistant	Tongue-and-Groove	Tongue-and-Groove
TruChoice®	•	•	
WindSafe® Options	•		•
Impact Options	•		•
Warranty	Limited Lifetime	Limited Lifetime	Limited Lifetime


*U-factor is independently tested and verified per ANSI/DASMA 105 using solid doors and specific product sizes.

**Wayne Dalton uses a calculated door section R-value for our insulated doors.


MODEL 9405




1 Choose Your Style




Bellview




Charleston




Lexington




Westfield




Newport




Providence



Oak Park



Hampton



Camden

2 Choose Your Color

Painted Finishes



White
(Standard)



Almond



Clay



Gray



Green



Brown

Two-Toned Painted Finishes



White/Clay



White/Gray



White/Green

Premium Finish



3 Choose Your Windows



Cascade III



Clear II



Stockbridge



Stockton III



Arched Stockton

Window configuration may vary depending on door size.




MODEL 8670




Providence panel, Honduran Mahogany finish, 6 Window Square


1 Choose Your Style




Bellview




Charleston




Lexington




Portland-Top




Portland-Full




Westfield




Newport




Providence
3-section styling
on 7' high doors.
Number and height
of sections will vary
depending on door
height.



Oak Park



Hampton



Camden

2 Choose Your Color

Painted Finishes



White (Standard)



Clay



Gray



Green

Stained Finishes



Natural Oak



Red Oak



Clay



Gray



Mahogany



Honduran
Mahogany



Walnut



Green

Premium Finish



Model 8670 doors are hand stained for a natural look.

Two-Toned Painted Finishes



White/Clay



White/Gray



White/Green

3 Choose Your Windows



Plain Window Square



6 Window Square



8 Window Square



12 Window Square



16 Window Square



Plain Window Arched



6 Window Arched



8 Window Arched



12 Window Arched



16 Window Arched

Window names reflect number of panes.
Window configuration may differ depending on door size.
See Dealer or website for complete window selection.

MODEL 8600




Kingston Arched panel, Custom painted after installation, Decorative hardware




Brunswick panel, White finish, Stockton windows, Decorative hardware


1 Choose Your Style




Bellview




Springfield



Lexington




Kingston




Richmond




Ashburn




Savannah




Arlington



Somerset



Brunswick



Westfield

Also available in solid arched top designs.

2 Choose Your Color

Painted Finishes (Standard)




White/White




White/Almond



White/Sandstone



White/Terra Bronze



White/Brown



White/Black

3 Choose Your Windows



Clear Long



Somerton



Stockbridge



Stockton



Stockton Arch



Wyndbridge

Window inserts are also available.
Window configuration may differ depending on door size.
See Dealer or website for complete window selection.





Model 9405, Lexington panel, Custom painted after installation, Stockton III windows, Decorative hardware



Model 8670, Westfield panel, White finish, 12 Window Square, Decorative hardware



Model 8600, Springfield panel, Custom painted after installation, Arched Stockton windows

Designer Fiberglass

Versatile Design

Our Designer Fiberglass Collection is designed with the warmth and beauty of wood, but without the maintenance a real wood door requires. Classic and modern designs are made with artfully molded wood grain fiberglass bonded to a durable and fully insulated steel garage door.




Horizontal V-Groove panel, Natural Oak finish, Vertical windows

MODEL 8680



Vertical Raised panel, Walnut finish



Realistic wood detail


MODEL 8680

Construction	Fiberglass/Steel/ Insulation/Steel
Insulation	Polyurethane, U-factor*: $\frac{1}{10}$ = 0.15 R-value** = 11
TorqueMaster® Plus	•
Joint Type	Tongue-and-Groove
Warranty	Limited Lifetime


*U-factor is independently tested and verified per ANSI/DASMA 105 using solid doors and specific product sizes.

**Wayne Dalton uses a calculated door section R-value for our insulated doors.


1 Choose Your Style




Horizontal
Raised



Vertical
Raised



Sonoma



Horizontal
V-Groove

Panel designs have a distinct wood grain pattern.
See website for details.

2 Choose Your Color




White



Clay




Gray




Honduran
Mahogany




Natural Oak




Red Oak



Cherry



Mahogany



Walnut



Green

3 Choose Your Windows



Plain Lite



6 Lite



8 Lite



12 Lite



16 Lite



20 Lite



Horizontal Raised



Vertical Raised

Window names reflect number of panes.
Not all windows available for all panel designs.
Window configuration may vary depending on door size.
See Dealer or website for complete window selection.

Contemporary Aluminum

Sleek and Modern

Contemporary homes deserve a garage door as modern as they are. Designed with clean lines and offered in a variety of finishes, Wayne Dalton's Contemporary Aluminum Collection is the ultimate in sleek and modern garage door design.



Model 8450 Luminous™, Translucent Black glass



Model 8800, Dark Bronze powder coated aluminum, Satin Etched glass



Model 8850, Black powder coated aluminum, White Laminated glass

	MODEL 8800	MODEL 8850	MODEL 8855	MODEL 8450
Construction	Aluminum with Reinforcing Fins	Aluminum with Reinforcing Fins	Aluminum with Reinforcing Fins	Aluminum with Reinforcing Fins
Frameless Glass	N/A	N/A	N/A	•
Insulation	Optional Polyurethane, U-factor* as low as .27 R-value** up to 4.36	Optional Polyurethane, U-factor* as low as .28 R-value** up to 4.36	Optional Polyurethane, U-factor* as low as .28 R-value** up to 4.36	N/A
Joint Type	Tongue-and-Groove	Tongue-and-Groove	Tongue-and-Groove	Tongue-and-Groove
RAL Powder Coat	•	•	•	N/A
Warranty	5-Year Limited	1-Year Limited	1-Year Limited	1-Year Limited

*U-factor is independently tested and verified per ANSI/DASMA 105 using doors with full glazing and specific product sizes.

**Wayne Dalton uses a calculated door section R-value for our insulated doors.


MODEL

8450 LUMINOUS[®]




1 Choose Your Frame Color

Powder Coated Finishes (Standard)



White



Bronze



Black

Anodized Finishes (Optional)



Black



Bronze

2 Choose Your Glass




Mirrored Gray



Mirrored Bronze



Translucent Black



Opaque White



Opaque Black

MODELS

8800/8850/8855



Model 8800, Black anodized aluminum, White Laminated glass




Model 8850, Clear anodized aluminum, Clear glass

1 Choose Your Frame Color

Anodized Finishes



Clear (Standard)



Bronze



Black


Powder Coated Finishes



White (8800 only)



Black



White



Brown



Dark Bronze

Wayne Dalton Certified
wind SAFE
For Model 8855 only

2 Choose Your Glass



Clear (Standard)




Green Tinted



Gray Tinted



Bronze Tinted



Satin Etched



White Laminated



Obscure

Specialty Vinyl

Elegant Durability

Ideal for coastal regions, Wayne Dalton's Specialty Vinyl Collection is resistant to salt air and sand, and won't rust, fade, crack, or dent. Engineered to be elegant and maintenance free, these doors contain special polymers that protect the door from UV rays.



Sonoma panel, Glacier White finish, Williamsburg I windows

MODEL 8700




Colonial panel, Adobe Cream finish




Colonial panel, Glacier White finish, Ruston windows

1 Choose Your Style



Colonial



Sonoma

2 Choose Your Color



Glacier White



Adobe Cream



Cape Cod Gray



Monterey Sand

3 Choose Your Windows



Stockton I



Williamsburg I

Window configuration may vary depending on door size.
See Dealer or website for complete window options.



MODEL 8700

Construction	Vinyl/Insulation/Vinyl
Insulation	Polyurethane, U-factor* = 0.24 R-value** = 11.75
TorqueMaster® Plus	•
Joint Type	Tongue-and-Groove
WindSafe® options	•
Warranty	15-Year Limited

*U-factor is independently tested and verified per ANSI/DASMA 105 using solid doors and specific product sizes.
**Wayne Dalton uses a calculated door section R-value for our insulated doors.

Stunning Craftsmanship

Wood garage doors are the ideal choice for homes of distinction, offering a refined elegance that only premium wood materials can achieve. Our craftsmen hand-build these beautiful wood doors with thorough attention to detail for a truly remarkable garage door.



Model 7100, Mustang panel, 16 Lite Arch windows, Decorative hardware



Model 44 Grooved Plywood, 3 over 3 Windows



Model 300, 4x8 pane, Sunray windows

	GOOD		BETTER	BEST	
	MODEL 40	MODEL 100	MODEL 300	MODEL 7100	MODEL 7400
Construction	Wood/Insulation/Wood	Wood overlay/Wood	Wood/Insulation	Wood overlay/Wood panel/Wood backer	Wood overlay/Wood panel/Insulation/Wood backer
Design	Flush	Recessed Panel	Raised Panel	Carriage House	Carriage House
Insulation*	Polystyrene, R = 4.75	N/A	Polystyrene, R = 7.4	Optional Polystyrene, R = 4.75	Polystyrene, R = 4.75
Section Thickness	1-3/8" to 1-5/8"	1-3/8"	1-3/8"	1-5/8"	2"***
Unfinished Paint Grade	•	•	•	•	•
Unfinished Stain Grade	•		•	•	•
WindSafe® Options				•	•
Warranty	1-Year Limited	1-Year Limited	1-Year Limited	1-Year Limited	1-Year Limited

*Wayne Dalton uses a calculated door section R-value for our insulated doors.

**Thickness may vary slightly depending on wood type.

Flush Wood



Model 44, Grooved Plywood

1 Choose Your Wood



Rough Sawn Plywood



T1-11 Plywood




Smooth Plywood



Marine Grade


2 Choose Your Windows



Cathedral*




2 Panel – 2 over 2




2 Panel – 4 over 4



Real Sunray



4 Panel – 2 over 2



2 Panel – 5 over 5



False Sunray*



2 Panel – 3 over 3

Windows shown for 1 car panel designs.
Not all window will fit all door sizes.
Factory will advise if there is a problem with fitting.
*Molded designs with plastic inserts may not fit all panel sizes.
Consult your distributor for availability.

MODEL 100


Colonial Wood



Model 100, 4-4 panel, Plain Long Panel windows

1 Choose Your Style

Single-car door designs. (optional windows shown).




4-2



4-4

Double-car door designs.
(optional windows shown).



4-4



4-8

2 Choose Your Wood



Smooth
hardboard



Smooth
plywood

3 Choose Your Windows



Cathedral



Plain Long Panel



Plain Short Panel



Stockton*



Sunray

Window configuration may vary depending on door size.
*Other Stockton windows are available.
Not all windows are available in all sizes.
Consult your Dealer for details.

MODEL 300

Classic Wood




Model 300, 4x4 panel

1 Choose Your Style


Panel Designs




4-2




4-3




4-4




4-6



5-2



5-3



5-6

Double-car designs look like two single-car doors together.

2 Choose Your Wood



Hemlock



Cedar*

*Not available primed.

3 Choose Your Windows

Wood Window Inserts



Bachelor



Cathedral



Ruston



Sherwood



Sunray

True Divided Windows



Colonial Stockton



Elongated Stockton

Window configuration may vary depending on door size.
Not all windows available on all models.
See Dealer or website for details.



Model 300, 4-8 panel

Carriage House Wood




Model 7100, Mustang panel, 6 Lite Arched windows




7100 Mustang, 32 Lite Square windows


1 Choose Your Style




Palomino
Wide




Palomino
Narrow




Clydesdale
Grooved




Clydesdale




Mustang




Stallion Wide



Stallion
Narrow




Appaloosa
Grooved




Appaloosa


2 Choose Your Wood




Western Red
Cedar




Hemlock



Sapele
Mahogany



Meranti



Douglas Fir



Knotty Cedar



Marine
Grade



Rough Sawn
Plywood



Luan Meranti
Plywood

3 Choose Your Windows

Square Top

True Vertical Divided



4 Lite



6 Lite



8 Lite

Arched Top

True Vertical Divided



4 Lite



6 Lite



8 Lite

Square Top

True Cross Divided



8 Lite



12 Lite



16 Lite

Arched Top

True Cross Divided



8 Lite



12 Lite



16 Lite


3-section styling on 7' high doors. Number and height of sections will vary depending on door height.
Panels above also available in arch top designs.

Window names reflect number of panes.
Window configuration may vary depending on door size.
See Dealer or website for complete window selection.

Carriage House Wood




7400 Churchill, Custom windows




7400 Derby, 16 Lite Arched windows, Decorative hardware


1 Choose Your Style




Remington




Belterra




Saratoga




Belmont




DelMar



Preakness




Derby




Churchill

3-section styling on 7' high doors. Number and height of sections will vary depending on door height.
Panels above also available in arch top designs.


2 Choose Your Wood




Western Red Cedar




Hemlock



Sapele Mahogany



Meranti




Douglas Fir




Knotty Cedar



Marine Grade



Rough Sawn Plywood



Luan Meranti Plywood

Window names reflect number of panes.
Window configuration may vary depending on door size.
See Dealer or website for complete window selection.

3 Choose Your Windows

Square Top

True Vertical Divided



4 Lite



6 Lite



8 Lite

Arched Top

True Vertical Divided



4 Lite



6 Lite



8 Lite

Square Top

True Cross Divided



8 Lite



12 Lite



16 Lite

Arched Top

True Cross Divided



8 Lite



12 Lite



16 Lite







Model 8670, Providence panel, Custom painted after installation, 12 Window Square

Garage Door DESIGN CENTER

Discover the perfect garage door for your home with Wayne Dalton's interactive Garage Door Design Center. Upload a photo of your home, experiment with panel designs, colors, window styles, and decorative hardware, and instantly visualize the transformation. Try it today by scanning the QR code or visiting wayne-dalton.com—your journey to enhanced curb appeal starts with just a click!



Wayne Dalton

2501 S. State Hwy. 121 Bus., Ste 200
Lewisville, TX 75067

wayne-dalton.com



Wayne Dalton participates in the DASMA Thermal Performance Verification Program. The program verifies the thermal performance of sectional garage doors. The lower the U-factor rating, the better the thermal performance.



Symbol indicates verified U-factor rating in accordance with the DASMA Thermal Performance Verification Program.

THERMAL PERFORMANCE